



# Baumit CreativTop Max

## Safety Data Sheet

As per Directive (EU) no.1907/2006 as well as (EU) no. 453/2010

Revised on: 02/03/2016

<b>1.1</b>	<b>Product Identifier</b>
<b>1.0</b>	<b>Identification of the material or the mixture and the company</b>
	<b>Commercial name:</b> Baumit CreativTop Max
<b>1.2</b>	<b>Relevant identified applications of the material or mixture and applications which are not recommended</b>
	<b>Use of the material/mixture:</b> Ready to use, pasty silicone resin modelling finish render.
<b>1.3</b>	<b>Details on the supplier which provides the safety data sheet</b>
	<b>Manufacturer:</b> Wopfinger Baustoffindustrie GmbH A-2754 Waldegg / Wopfing 156  Tel: + 43/2633/400-0 Fax: + 43 2633 400 -266 Email: <a href="mailto:office@wopfinger.baumit.com">office@wopfinger.baumit.com</a>  Office issuing information: International Product Management + 43/2633/400-0  Office hours: Mon. to Thurs, 7:00 to 16:00 and Fri., 7:00 to 13:00
<b>1.4</b>	<b>Emergency telephone number:</b>
	Poison Information Centre at the First University Hospital, Währinger Gürtel 18-20, 1090 Vienna: + 43/1/406 43 43

<b>2.0</b>	<b>Possible hazards</b>
<b>2.1</b>	<b>Classification of the material/mixture:</b>
<b>2.1.1</b>	<b>As per (EU) Directive no. 1272/2008</b>
	<b>Hazard class and category:</b> The product is not classified as per the CLP regulation.
	<b>Hazard advice::</b>
	<b>H412</b> Damaging to water organisms with long term effect.
<b>2.1.2</b>	<b>As per 1999/45/EU Directive</b>
	<b>Classification:</b> The material/preparation is as per guidelines 67/548/EEC and 1999/45/EG classified as not hazardous.
<b>2.2</b>	<b>Identification elements</b>
<b>2.2.1</b>	<b>As per (EU) Directive no. 1272/2008</b>
	<b>Hazard pictogram:</b> --
	<b>Hazard advice:</b>
	<b>H412:</b> Damaging for water organisms with long term effect.
	<b>EUH208:</b> Contains 5-Chlor-2-methyl-4-isothiazol-3-on [EG 247-500-7] and 2-Octyl-2H-isothiazol-3-on [EG 247-761-7]. Can cause allergic reactions.
	<b>Safety information:</b>
	<b>P102</b> Keep away from children.
	<b>P101</b> Take label if seeking medical advice.

Baumit Ltd

Unit 2, Westmead, New Hythe Lane, Aylesford, Kent, ME20 6XJ

[sales@baumit.co.uk](mailto:sales@baumit.co.uk) [www.baumit.com](http://www.baumit.com)

**BAUMIT**  
baumit.com

	<b>P273</b>	Avoid release into the environment.
	<b>P501</b>	Hand back or dispose of empty packaging, containers as special waste.
<b>2.2.2</b>	<b>As per 1999/45/EU Directive</b>	
	<b>Hazard symbol:</b>	--
	<b>Hazard advice:</b>	
	<b>Hazard instructions:</b>	--
	<b>R52/53</b>	Damaging for water organisms, can have damaging effect in water over the long term.
	<b>Safety instructions:</b>	
	<b>S2</b>	Keep away from children.
	<b>S46</b>	If ingested, seek immediate medical advice, showing packaging label.
	<b>Additional notes:</b>	--

<b>3.0</b>	<b>Compound/Information about components</b>		
	<b>Materials:</b>	Not applicable as it is a mixture.	
	<b>Mixture:</b>	<b>Mixture of following components in non-hazardous quantities:</b>	
	CAS: 26530-20-1 EINECS: 247-761-7	2-Octyl-2H-isothiazol-3-on T R23/24; C R34; Xn R22; Xi R43; N R50/53 Acute Tox. 3, H301 Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4,	<0,05%
	CAS: 886-50-0 EINECS: 212-950-5	Terbutryn (ISO) XN R22; Xi R43; N R50/53  Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1, H317	< 0,005%
	CAS: 55965-84-9	Mixture of: 5-Chlor-2-methyl-4-isothiazol-3-on [EG 247-500-7] and 2-Methyl-2H-isothiazol-3-on [EG 220-239-6] (3:1) T R23/24/25; C R34; Xi R43; N R50/53 Acute Tox. 3, H301 Acute Tox. 3, H311; Acute Tox. 3, H331 Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	< 0,0015%
	Take full wording of abbreviations from section 16.		
	<b>Hazardous components:</b>		
	Contains no hazardous components		

<b>4.0</b>	<b>First aid measures</b>	
<b>4.1</b>	<b>Description of first aid measures</b>	
	<b>General instructions:</b>	Give immediate help. No special PPE is required for First Aiders.
	<b>Inhaling:</b>	Ensure fresh air. Seek medical advice if complaint persists.
	<b>Skin contact:</b>	In general the product is not irritable to skin. If skin contact: wash product away with water and remove dirty clothing.  Seek medical advice if complaint persists.
	<b>Eye contact:</b>	If eye contact: wash well with water (or salt solution, eye wash). Do Not rub eyes dry as this can damage the cornea. Always seek medical advice.
	<b>Swallowing:</b>	If conscious, wash mouth out with water and drink plenty of water Do not induce vomiting. Seek immediate medical advice.
	<b>Instructions for the doctor:</b>	No known long term effects.

<b>4.2</b>	<b>Most important acute or delayed symptoms and effects</b>	
	<b>Eyes:</b>	Eye contact can cause serious and possibly lasting damage.
	<b>Skin:</b>	Product can produce an irritant effect if wet skin (sweating, air humidity) is exposed to longer contact with it.
	<b>Breathing:</b>	If inhaled: fumes from aerosols can cause damage to health.
	<b>Environment:</b>	With normal use, the product is not hazardous to the environment.
<b>4.3</b>	<b>Information on emergency help or special handling:</b>	
		Take safety data sheet when seeking medical advice.
	<b>Advice for the doctor:</b>	No known long term effects.

<b>5.0</b>	<b>Firefighting measures</b>	
<b>5.1</b>	<b>Suitable extinguishing media:</b>	Preparation is not flammable. Base choice of firefighting measures And extinguishing fluid on the flammability of the surroundings (Water spray, foam, carbon dioxide)
<b>5.2</b>	<b>Special hazards from the mixture:</b>	No information available
<b>5.3</b>	<b>Instructions for firefighting:</b>	No special measures required.

<b>6.0</b>	<b>Measures for unintended release</b>	
<b>6.1</b>	<b>Personal precautionary measures:</b>	
<b>6.1.1</b>	<b>Staff not trained for emergencies:</b>	Wear protective clothing as described in Section 8. Follow the instructions for safe handling as described in Section 7. Danger of slipping on spilled product.
<b>6.1.2</b>	<b>Deployment Forces:</b>	Emergency plans are not required.
<b>6.2</b>	<b>Environmental protection measures:</b>	Do not drain into the sewers, surface water or groundwater. Dilute with lots of water.
<b>6.3</b>	<b>Cleaning procedures:</b>	Soak up with adsorbent material, such as sand or sawdust, then dispose in accordance with regulations (as per point 13).
<b>6.4</b>	<b>Reference to other sections:</b>	Check Sections 7, 8 and 13 for further details.

<b>7.0</b>	<b>Handling and storage</b>	
<b>7.1</b>	<b>Protective measures for safe handling:</b>	Follow the recommendations in Section 8.  Do not eat, drink or smoke when working. Wear protective goggles and gloves.
<b>7.2</b>	<b>Conditions for safe storage in regards to incompatibility:</b>	Keep away from children.  Protect from direct sunlight and frost. Always keep containers well closed. Do not use alloy metal containers.  Storage class: 12 (not flammable fluids )  VbF-class: not applicable

<b>8.0</b>	<b>Limitation and monitoring exposure / personal protective equipment</b>			
<b>8.1</b>	<b>Parameters to monitor:</b>			
	<b>Limit values</b>	Exposure type	Exposure frequency	Notes
	<b>A = respirable dust fraction E = inhalable dust fraction</b>	<b>TMW = daily average Mow = instantaneous value</b>	<b>KZW = short-term exposure a) frequency per shift</b>	
<b>8.2</b>	<b>Limitation and monitoring exposure:</b>			
<b>8.2.1</b>	<b>Additional instructions to structure technical equipment:</b>	Ensure space is well ventilated during work.		
<b>8.2.2</b>	<b>General protective and hygiene measures:</b>	Do not eat, drink or smoke when working. Wash and shower, if necessary, before breaks and at the end of work in order to remove sticking mixtures. Avoid contact with the eyes and skin. Workers should wash themselves or shower and use skin care materials after working with the mixture. Contaminated clothing, shoes, etc. should be cleaned before reuse.		
	<b>Skin Protection:</b>  	Wear waterproof, wear- and alkali-resistant gloves. For example, nitrile-dunked cotton gloves with CE Mark are suitable (see the professional association rule BGR 195 for the Federal Republic of Germany). Note the maximum wearing time. Leather gloves are not appropriate due to their water permeability. Wear long-armed protective clothing (normal work clothing) as well as skin protective material.		
	<b>Face / eye protection:</b> 	Wear protective goggles as per EN 166 if there is a spray hazard. (Provide eye washers)		
	<b>Respiratory protection:</b> 	Only needed if aerosol or fumes.		
<b>8.2.3</b>	<b>Limitation and monitoring environmental exposure:</b>			
	<b>Air:</b>			
	<b>Water:</b>	Do not allow mixture to enter ground water or water system.		
	<b>Soil:</b>	No special monitoring measures necessary.		

<b>9.0</b>	<b>Physical and chemical properties</b>		
<b>9.1</b>	<b>General Information:</b>		
a)	<b>Appearance:</b>	Paste	
	<b>Aggregate status:</b>	Liquid	
	<b>Colour:</b>	White or coloured	
b)	<b>Odour</b>	None	
c)	<b>Odour threshold</b>	Not applicable	
d)	<b>pH level</b>	ca. 8.5	
e)	<b>Melting point:</b>	Not applicable	
f)	<b>Boiling point, boiling range:</b>	Not applicable	
g)	<b>Flashpoint:</b>	Not applicable	
	<b>Explosion hazard:</b>	None	
h)	<b>Vapour speed:</b>	Not determined	
i)	<b>Flammability:</b>	Not applicable as the mixture is non-flammable	
j)	<b>Upper/lower flammability or explosion limits:</b>	Not applicable	
k)	<b>Vapour pressure:</b>	Not determined	
l)	<b>Vapour density:</b>	Not determined	
m)	<b>Relative density:</b>	ca. 1840 kg/m <sup>3</sup> (at room temperature)	
n)	<b>Solubility in water:</b>	Fully mixable	

o)	Distribution coefficient n-octanol/water:	Not applicable.
p)	Self-ignition temperature:	Not applicable, as it is pasty
q)	Decomposition temperature	Not applicable
r)	Viscosity	Not determined
s)	Explosive properties:	Non-explosive
t)	Oxidising properties	Non-oxidising
9.2	Other information:	None

<b>10.0 Stability and reactivity</b>		
10.1	Reactivity:	Unknown.
10.2	Chemical stability:	Stable under normal environmental conditions.
10.3	Possible hazardous reactions:	Unknown.
10.4	Conditions to avoid:	Frost, direct sunlight, do not drain into groundwater or surface waters.
10.5	Incompatible materials:	Unknown.
10.6	Hazardous decomposition products:	Unknown.
All information assumes use as intended		

<b>11.0 Toxicological information</b>			
<b>Toxicity</b>		The product has not been tested. The statement is determined from the properties of the individual components.	
<b>Hazard class</b>	<b>Cat</b>	<b>Effects</b>	<b>Reference</b>
Acute toxicity - dermal	--	There is no toxicological evaluation for the product. All data and recommendations are based on the evaluation process.	
Acute toxicity - inhaled	--		
Acute toxicity - oral	--		
Irritation to the skin	--	No effect	
Severe eye damage/irritation	--	No data available	
Skin sensitisation	--	No data available	
Sensitisation of the respiratory tract	--	No data available	
Nuclear mutagenicity	--	No data available	
Carcinogenicity	--	No data available	
Reproduction toxicity	--	No data available	
Specific target organ toxicity with single exposure	--	No data available	
Specific target organ toxicity with repeated exposure	--	No data available	
Aspiration hazard	--	No data available	

<b>Effects on health due to exposure</b>	
	The product is not subject to description due to the calculation procedure carried out as per the general guidelines to classify compounds in the EU in the current version. When used and handled in accordance with specifications, the product has no health-damaging effects in our experience and with the available information.

<b>12.0 Environmental information</b>	
<b>12.1 Toxicity</b>	The product has not been tested. The statement is determined from the properties of the individual components.
<b>12.2 Aquatic toxicity:</b>	No data available.
<b>12.3 Persistence and degradability:</b>	Organic components of product are biologically degradable.
<b>12.4 Bioaccumulation potential</b>	No data available.
<b>12.5 Soil mobility</b>	No data available.
<b>12.6 Results of the PBT and vPvP assessment</b>	The criteria for classification have not been fulfilled as per PBT or vPvB.
<b>12.7 Other hazardous effects</b>	No data available  Water hazard class 1 (self-classification): slightly hazardous to water

<b>13. Instructions on disposal</b>	
<b>Procedure for waste treatment disposal:</b>	Dispose of waste as per local authority regulations. Leftover product should be disposed of as special waste (do not place with household Rubbish).  Hardened leftover product can be disposed of as leftover waste. Put cleaned packaging into recycling.  Recommended cleaning fluid: Water  Do not allow leftovers to enter the water system. Do not pour into WC or down drains.
<b>ÖNORM S2100:</b>	55510 (Waste based on plastic dispersion).
<b>European Waste Index (EAV):</b>	080112 (Paint and varnish waste except those that fall under 080111).

<b>14.0 Transport instructions</b>	
The mixture is subject to none of the international hazardous goods regulations (ADR, RID, ADN, IMDG- Code, ICAO-TI, IATA-DGR).	
Thus no hazardous material classification is required.	
<b>14.1 UN number:</b>	Not applicable.
<b>14.2 Proper UN shipping name:</b>	Not applicable.
<b>14.3 Transport hazard class:</b>	Not applicable.
<b>14.4 Packaging group:</b>	Not applicable.
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautionary measures for the user:</b>	Not applicable

14.7	<b>Bulk goods transport as per Appendix II of MARPOL Treaty 73/78 and as per the IBC code:</b>	Not applicable
------	--	----------------

<b>15.0</b>	<b>Information on legislation</b>	
<b>15.1</b>	<b>Regulations for safety, health and environmental protection/specific legislation for the mixture</b>	
	Preparations Directive (1999/45/EU) as amended by Directive 2013/21/EU. Materials Directive (67/548/EU) as amended by Directive 2013/21/EU.	
	REACH Directive (EU) no. 1907/2006, as amended by Directive (EU) no. 348/20 13. CLP Directive (EU) no. 1272/2008, as amended by Directive (EU) no. 487/2013.	
<b>15.2</b>	<b>Material safety assessment:</b>	
	No material safety assessment was performed.	

<b>16.0</b>	<b>Other information</b>	
<b>16.1</b>	<b>Changes over the previous version</b>	
	New version as per (EU) Directive no. 1272/2008 (CLP)	
<b>16.2</b>	<b>Abbreviations and acronyms</b>	
	<b>H412</b>	Damaging for water organisms with long term effect.
	<b>R52/53</b>	Damaging for water organisms, can cause long term damage.
	<b>ACGIH</b>	American Conference of Industrial Hygienists
	<b>ADR/RID</b>	European Agreements on the transport of Dangerous goods by Road/Railway
	<b>APF</b>	Assigned protection factor
	<b>CAS</b>	Chemical Abstracts Service
	<b>CLP</b>	Classification, labelling and packaging (Directive (EU) no. 1272/2008)
	<b>EC50</b>	Half maximal effective concentration
	<b>ECHA</b>	European Chemicals Agency
	<b>EINECS</b>	European Inventory of Existing Commercial Chemical Substances
	<b>EPA</b>	Type of high efficiency air filter
	<b>HEPA</b>	Type of high efficiency air filter
	<b>IATA</b>	International Air Transport Association
	<b>IMDG</b>	International agreement on the Maritime transport of Dangerous Goods
	<b>IUPAC</b>	International Union of Pure and Applied Chemistry
	<b>LC50</b>	Median lethal dose
	<b>MEASE</b>	Metals estimation and assessment of substance exposure
	<b>PBT</b>	Persistent, bio-accumulative and toxic
	<b>PROC</b>	Process category
	<b>REACH</b>	Registration, Evaluation and Authorisation of Chemicals (Directive (EU) 1907/2006)

	<b>SDB</b>	Safety Data Sheet
	<b>STOT</b>	Specific target organ toxicity
	<b>TRGS</b>	Technische Regeln für Gefahrstoffe [Technical Rules for Hazardous Materials]
	<b>UVCB</b>	Technical Rules for Hazardous Materials
	<b>VCI</b>	Verband der chemischen Industrie e.V. [German Chemical Association]
	<b>vPvB</b>	Very persistent, very bioaccumulative
	<b>VwVwS</b>	Verwaltungsvorschrift wassergefährdende Stoffe [Administrative Guidelines for Material Hazards to Water]

### 16.3 Literature information and data sources

### 16.4 Training recommendations

In addition to training programs for employees on the topics of health, safety and the environment, companies must ensure that their employees read the safety data sheet, understand and can implement the requirements.

### 16.5 Exclusion clause

The information in this safety data sheet describes the safety requirements for our product, and relies on the current status of our knowledge. It provides no assurance of product characteristics. The users of our products are responsible on their own to observe existing laws, regulations and rules, even those not named in this data sheet.

Our recommendations for applications which we give to support the purchasers/handlers from our experience, corresponds to current science and practice. The advice is non-binding, and forms no contractual, legal relationship and no additional obligations in the purchase contract. The advice does not release the purchaser from examining our products for their suitability for their foreseen uses. The general rules of construction equipment must be adhered to. We reserve the right to make changes which serve to provide technical progress and improve the product or its use. When such technical information appears, earlier information is no longer valid.

You can find the most current information on our Internet pages. Only our current sales and supply conditions as well as provisions for the placement and use of our silos and mixing facilities apply for all business cases.

**Baunit Ltd**

Unit 2, Westmead, New Hythe Lane, Aylesford, Kent, ME20 6XJ

[sales@baunit.co.uk](mailto:sales@baunit.co.uk) [www.baunit.com](http://www.baunit.com)



baunit.com