



OVERVIEW	
GREAT STORIES BEHIND GREAT BUILDINGS	5
CONTACTS	6
SALES ENQUIRIES	7
SERVICE	8
GO2MORROW	10
3 ELEMENTS OF HEALTHY LIVING	12
BAUMIT LIFE COLOUR SYSTEM	14



INSULATION FIRST

FINAL COATINGS	
FAÇADE PAINTS & RENDERS	22
FAÇADE PRIMERS & ADDITIVES	32
EWI	
ADHESIVES & BASE COATS	36
INSULATION BOARDS	38
MESH & FIXINGS	40
ACCESSORIES	46
MINERAL RENDERS	
RENDER	52
RENOVATION SYSTEMS	
MULTIPURPOSE RENDER	54
SANOVA	55



INSULATION FIRST

KLIMA SYSTEMS	58
AIRLESS PLASTER	61



SERVICE	
COMPANY NOTES	64
TERMS & CONDITIONS	66
INDEX	68
WORLD OF BAUMIT	70



EWI SYSTEMS

- O** OPENSYSYSTEM
- E** STARSYSYSTEM EPS
- M** STARSYSYSTEM MINERAL
- R** STARSYSYSTEM RESOLUTION
- N** STARSYSYSTEM NATURE
- I** POWERSYSYSTEM

WELCOME



Since joining Baumit UK, my main focus has been on listening and understanding the market, and then acting on those findings. In 2023 we launched a 'You Said, We Did' initiative where we introduced various new customer focused activities. We shall continue with this in 2024 and beyond, as I believe Baumit is nothing without our loyal customers and we need to always listen to you, and provide you with the highest level of service possible.

That being said, the UK team has gone through some changes over the past 24 months. Overall, we have grown in number by over 60%. We have bolstered in key areas and introduced new roles to suit market demands.

Baumit Group is Europe's largest EWI manufacturer and this will remain our focus. Selling innovative, unique EWI solutions will always be our core activity, however in 2024 there will be some new complementary products launched. Being part of such a large group does mean the UK is able to offer a wider range of products than we already do. We can bring tried and trusted products to the UK market, safe in the knowledge they will work for all applications. Stay tuned in early 2024 for updates!

Other areas of focus in 2024 include:

- Improved product availability through wider distribution network
- New innovative training solution for approving applicators
- Broader reaching marketing activity to target homeowners to educate and raise awareness on the benefits of EWI
- Evolving specification focus adding value with tangible solutions
- Improving and streamlining internal processes to focus on customer service


As always, we love to hear feedback from our customers and welcome the opportunity to understand how we can support you, so please do get in touch with myself, or the team.

David Stolton

David Stolton
Managing Director

ALL NEW Baumit Fixings Range

Suitable for all types of masonry substrates, Baumit screw in and hammer in fixings now have a stronger, thicker, more robust construction and are available in a range of sizes.



Great Stories behind great buildings

Outstanding buildings are honoured as part of the Baumit Life Challenge. But what are the stories behind them? Take a look with us behind the façades.

One outstanding example is this years cover star, Cukrarna Gallery in Slovenia. This building was the highly deserving winner of the Baumit Life Challenge 2022 in Valencia.

Formerly a sugar factory dating back to 1828, it has undergone a remarkable transformation. Today, it stands as a versatile haven for contemporary art, enriching the cultural landscape of Ljubljana. Architect Jernej Šipoš, the visionary behind this project, shares captivating insights into its rejuvenation.

But the story of Cukrarna Gallery is just one of the many remarkable journeys Baumit has undertaken together with its partners. While "Wings" in Romania soared to new heights and Chiavalon Oil Mill in Croatia became a beacon of success there are many more inspiring stories just there waiting to be revealed over the coming months.



We can't wait for all the new buildings and their stories that will be showcased at the next Baumit Life Challenge on 23 May 2024 in Ljubljana, Slovenia! Find out more by visiting baumit.co.uk

Great Stories
Video Series





SALES ENQUIRIES



- 7 James Wilson**
Head of Sales
07872 073 267
james.wilson@baumit.co.uk
- 6** 01622 710 763
sales@baumit.co.uk
- 5 Victoria McLaughlin**
Business Development Manager
07392 431 453
victoria.mclaughlin@baumit.co.uk
- 4 Callum Leese**
Business Development Manager
07483 449 421
callum.leese@baumit.co.uk
- 3** 01622 710 763
sales@baumit.co.uk
- 2 Maddy Billingham**
Business Development Manager
07539 836 446
maddy.billingham@baumit.co.uk
- 1 Barry Hill**
Business Development Manager
07391 059 334
barry.hill@baumit.co.uk
- Steve Gaggini**
National Specification Manager
07392 465 022
steve.gaggini@baumit.co.uk

GENERAL CONTACT ENQUIRIES

- Baumit Ltd**
Unit 2 Westmead
New Hythe Lane
Aylesford
Maidstone
Kent
ME20 6XJ
- t: 01622 710 763
e: contact@baumit.co.uk
- in** www.linkedin.com/company/baumit-uk-ltd
ig www.instagram.com/baumit_uk
f www.facebook.com/BaumitLtd
x www.twitter.com/BaumitUKLtd
yt www.youtube.com/@BaumitUK

BAUMIT REFERENCES

Baumit provides the opportunity to give each building its own unique character through the choice of material, structure, form and colour.



BAUMIT CUSTOMER SERVICE

Baumit offers a comprehensive customer service package in all areas of rendering, insulation and façade renovation. We support you with expert advice from our experienced specialists to help you select the right products, and provide training and guidance on application best practice.


Our range of services includes:

- Making recommendations for insulation, render and façade renovation
- Technical support, including product data sheets and health and safety method statement guidelines
- Application guidelines and practical installation training for external wall insulation and render systems
- A range of colour fans to aid colour selection
- Original colour samples
- CPD's and seminars for architects
- Calculating the U-Values of external walls and condensation risk analysis
- Online services, including sample requests and colour designing software

BAUMIT ONLINE SERVICES

The Baumit website provides comprehensive information on Baumit products, external wall insulation and render systems and accessories together with details on how to renovate a properties façade.

- Technical information including application guidelines and product data sheets
- Downloadable product brochures
- Request a colour sample
- Find out more about our training academies
- Design a façade and try out different colour options
- Find inspiration from past Baumit projects
- Book Baumit Approved training courses



SAMPLES

Find the perfect colour for your project by requesting a sample from Baumit. You can order samples directly from the website at www.baumit.co.uk/sample or email samples@baumit.co.uk with your request.



Sample bucket
1kg



Sample board
5.8 x 4.1 inch finished board

BAUMIT TRAINING ACADEMY

Baumit has over 35 years' experience in creating our range of innovative, tested EWI and render products, designed to create beautiful, healthy homes for people to live in. We are therefore keen to give tradespeople the opportunity to use our products to create better spaces for their clients. But most importantly, we want to ensure our customers have the utmost confidence when it comes to application of EWI systems.

- Become Baumit approved
- Learn EWI installation best practice
- Issue 10 - 25 year system warranties
- Ongoing expert advice & support
- Locations in Kent & Yorkshire

Advanced EWI Course - 1 day - £200

Designed to educate participants on the broad range of EWI installations and practices via both theoretical and practical experience.

SOUTH

Unit 2 Westmead,
New Hythe Lane
Aylesford,
Maidstone,
Kent,
ME20 6XJ

NORTH

Unit 4A,
Marrtree Business Park,
Silk Road,
Doncaster,
South Yorkshire,
DN2 4BQ

Baumit Training Trailer EWI Course - 6 hours - £100

Bringing the key elements of the Advanced EWI Course to more remote areas of the UK.



Find out more:

w. baumit.co.uk/academy
t: 01622 710 763
e: training@baumit.co.uk



Sustainability at Baumit **GO2morrow**

GO2morrow gets to the heart of our sustainable actions. Because everything we do is set up for the long term. This is the path we have consistently pursued since the company was founded.

It is our incentive to take responsibility as one of the leading manufacturer's of building materials in Europe. For every measure we take - in ecological, economic and social terms. We have already achieved a lot. With our GO2morrow Goals 2030, we are setting the bar even higher.

✓ **45 mil m² facade insulation every year across Europe – done!**

This means a saving of 1 million tons of CO₂e per year and is roughly comparable to the amount of oxygen produced by 90 million trees per year. A saving that is repeated year after year.

✓ **800 million tons CO₂e saved since the beginning of Baumit's ETICS success story – done!**

This is equivalent to the amount of CO₂ produced by 10 million cars in 15 years or 300,000 trips to the moon. Yes, our savings even exceed Germany's annual CO₂ emissions.



“People, planet, profit – that’s why we are here.”

CEO Baumit Group, Robert Schmid

We want to achieve even more ecologically, by 2030

Reducing CO₂e by 20%

This is our most important ecological GO2morrow goal. Improving the formulations of our products, environmentally friendly binders and recycled packaging materials all contribute to reducing our CO₂e emissions by 20% per produced ton.

10% less or green energy per ton of building material produced

Solar panels, more efficient use of energy, and the best available technologies are important steps along the way.

10% circular practices throughout Baumit

We are achieving this with our pioneering product GO2morrow recycled concrete and the development of innovative technologies.



We want to achieve more for people

Equal opportunities for our employees.

We will make the working environment even more inclusive, promote diversity, achieve a gender balanced management team, and offer everyone the best possible conditions for personal and professional development.

Supporting the local community.

Providing help for disadvantaged people, engage in local sponsoring, and contribute financial resources, Baumit building materials, or volunteer work.

No accidents in the workplace.
This is a goal we put a lot of energy into. Our Safety, Order & Sanitation Guide, occupational health and safety and medical precautions support us in this.

We want to achieve more economically

Secure growth.

Thinking long-term to maintain and expand our market leadership. This secures jobs. Prudence and quality are our clear focus.

Saving raw materials and preserving the environment.

We will save transport kilometers, use old buildings as a source of raw materials, use the latest technologies and invest in durable products and deconstructability.

Regionalism in supply chains.

Highest quality standards and proximity of partners are crucial. We take responsibility for the entire life cycle of our products.

Scan here for Sustainability at Baumit:



The basis for GO2morrow goals are the findings of the VIVA Research Park

The fundamentals for “Healthy Living” are scientifically analysed, tested and confirmed in Europe's largest comparative research park. Three core elements have proven to be fundamental in terms of health, quality of living and energy efficiency:



Take a 3D tour of the VIVA Research Park!



The three fundamentals for Healthy Living

Insulation first the facade

- Warm in winter, cool in summer
- No mould
- No drafts
- Humidity regulation

Interior values the interior

- Humidity regulation for healthy room climate
- No breeding ground for viruses and bacteria
- Clean room air
- Comfortable room temperature

Solidity counts the shell

- Solid building materials as sustainable energy storage
- Constant temperature
- Noise protection
- Breathable building materials



3 Elements of Healthy Living

After years of extensive research, analysing millions of data, it's evident that construction methods and materials significantly impact health and quality of life in housing. Regardless of the design chosen, all buildings must consider three criteria for a healthy living environment:

INSULATION FIRST

Protection and cosiness

INTERIOR VALUES

Natural and healthy living

SOLIDITY COUNTS

Safety and comfort

Scan for the download:



INSULATION
FIRST

Protection
and cosiness


Good thermal insulation not only makes a significant contribution to the energy efficiency of your building, but also ensures pleasantly warm walls in winter and pleasantly cool walls in summer. The living space thus becomes a comfortable space with no draughts. Living becomes more comfortable and healthy.



INTERIOR
VALUES

Natural and
healthy living

A good interior mineral plaster system can act as a buffer for any peaks in humidity by absorbing excessive air humidity into the first few centimetres and releasing it again later. This guarantees a constant level of air-humidity, ensuring a healthy indoor climate.



SOLIDITY
COUNTS

Safety and
comfort

Solid walls, as well as solid ceilings and floors, can be externally protected with good thermal insulation so they store heat in the winter and keep the coolness in the house in summer. The more mass, the more effective the thermal storage and the more stable, pleasant and healthy the indoor climate.




Life
COLORED BY BAUMIT

Baumit Life Colour System

Download the Baumit Façade App
now, upload a photo of your house
and colour it within seconds!



www.baumit.co.uk





Baumit Life Colour System

	W1200		W1209	● 0021	● 0031	● 0041	● 0051	● 0061	● 0071
	W1201		W1210	● 0022	● 0032	● 0042	● 0052	● 0062	● 0072
	W1202		W1211	● 0023	● 0033	● 0043	● 0053	● 0063	● 0073
	W1203		0014	● 0024	● 0034	● 0044	● 0054	● 0064	● 0074
	W1204		0015	● 0025	● 0035	● 0045	● 0055	● 0065	● 0075
	W1205		0016	● 0026	● 0036	● 0046	● 0056	● 0066	● 0076
	W1206		0017	● 0027	● 0037	● 0047	● 0057	● 0067	● 0077
	W1207		0018	● 0028	● 0038	● 0048	● 0058	● 0068	● 0078
	W1208		0019	● 0029	● 0039	● 0049	● 0059	● 0069	● 0079
● 0321	● 0331	● 0341	● 0351	● 0361	● 0371	● 0381	● 0391		
● 0322	● 0332	● 0342	● 0352	▲ 0362	▲ 0372	▲ 0382	▲ 0392		
● 0323	● 0333	● 0343	● 0353	● 0363	● 0373	● 0383	● 0393		
● 0324	● 0334	● 0344	● 0354	● 0364	● 0374	● 0384	● 0394		
● 0325	● 0335	● 0345	● 0355	● 0365	● 0375	● 0385	● 0395		
● 0326	● 0336	● 0346	● 0356	● 0366	● 0376	● 0386	● 0396		
● 0327	● 0337	● 0347	● 0357	● 0367	● 0377	● 0387	● 0397		
● 0328	● 0338	● 0348	● 0358	● 0368	● 0378	● 0388	● 0398		
● 0329	● 0339	● 0349	● 0359	● 0369	● 0379	● 0389	● 0399		
● 0601	● 0611	● 0621	● 0631	● 0671	● 0681	● 0691	● 0701		
● 0602	● 0612	● 0622	● 0632	● 0672	● 0682	● 0692	● 0702		
● 0603	● 0613	● 0623	● 0633	● 0673	● 0683	● 0693	● 0703		
● 0604	● 0614	● 0624	● 0634	● 0674	● 0684	● 0694	● 0704		
● 0605	● 0615	● 0625	● 0635	● 0675	● 0685	● 0695	● 0705		
● 0606	● 0616	● 0626	● 0636	● 0676	● 0686	● 0696	● 0706		
● 0607	● 0617	● 0627	● 0637	● 0677	● 0687	● 0697	● 0707		
● 0608	● 0618	● 0628	● 0638	● 0678	● 0688	● 0698	● 0708		
● 0609	● 0619	● 0629	● 0639	● 0679	● 0689	● 0699	● 0709		
● 1381	● 1341	● 1351	● 1361	● 1371	● 0971	● 1331	● 0981		
▲ 1382	▲ 1342	▲ 1352	▲ 1362	▲ 1372	▲ 0972	▲ 1332	▲ 0982		
1383	1343	▲ 1353	1363	1373	0973	1333	0983		
1384	1344	1354	1364	1374	0974	1334	0984		
1385	1345	1355	1365	1375	0975	1335	0985		
1386	1346	1356	1366	1376	0976	1336	0986		
1387	1347	1357	1367	1377	0977	1337	0987		
1388	1348	1358	1368	1378	0978	1338	0988		
1389	1349	1359	1369	1379	0979	1339	0989		

● 0081	● 0121	● 0131	● 0141	● 0151	● 0161	● 0171	● 0181	● 0191	● 1251
● 0082	● 0122	● 0132	● 0142	● 0152	● 0162	● 0172	● 0182	▲ 0192	▲ 1252
● 0083	● 0123	● 0133	● 0143	● 0153	● 0163	● 0173	● 0183	● 0193	● 1253
● 0084	● 0124	● 0134	● 0144	● 0154	● 0164	● 0174	● 0184	● 0194	● 1254
● 0085	● 0125	● 0135	● 0145	● 0155	● 0165	● 0175	● 0185	● 0195	● 1255
● 0086	● 0126	● 0136	● 0146	● 0156	● 0166	● 0176	● 0186	● 0196	● 1256
● 0087	● 0127	● 0137	● 0147	● 0157	● 0167	● 0177	● 0187	● 0197	● 1257
● 0088	● 0128	● 0138	● 0148	● 0158	● 0168	● 0178	● 0188	● 0198	● 1258
● 0089	● 0129	● 0139	● 0149	● 0159	● 0169	● 0179	● 0189	● 0199	● 1259
● 1281	● 1291	● 0401	● 0411	● 1311	● 1301	● 0421	● 0431	● 0441	● 0451
▲ 1282	▲ 1292	● 0402	▲ 0412	▲ 1312	▲ 1302	▲ 0422	▲ 0432	▲ 0442	● 0452
▲ 1283	▲ 1293	● 0403	▲ 0413	▲ 1313	▲ 1303	▲ 0423	▲ 0433	▲ 0443	● 0453
1284	1294	● 0404	● 0414	1314	1304	0424	0434	0444	● 0454
1285	1295	● 0405	● 0415	1315	1305	0425	0435	0445	● 0455
1286	1296	● 0406	● 0416	1316	1306	0426	0436	0446	● 0456
1287	1297	● 0407	● 0417	1317	1307	0427	0437	0447	● 0457
1288	1298	● 0408	● 0418	1318	1308	0428	0438	0448	● 0458
1289	1299	● 0409	● 0419	1319	1309	0429	0439	0449	● 0459
● 0711	● 0721	● 0731	● 0741	● 0751	● 0761	● 0771	● 0781	● 0791	● 0831
● 0712	● 0722	● 0732	● 0742	● 0752	● 0762	● 0772	● 0782	● 0792	● 0832
● 0713	● 0723	● 0733	● 0743	● 0753	● 0763	● 0773	● 0783	● 0793	● 0833
● 0714	● 0724	● 0734	● 0744	● 0754	● 0764	● 0774	● 0784	● 0794	● 0834
● 0715	● 0725	● 0735	● 0745	● 0755	● 0765	● 0775	● 0785	● 0795	● 0835
● 0716	● 0726	● 0736	● 0746	● 0756	● 0766	● 0776	● 0786	● 0796	● 0836
● 0717	● 0727	● 0737	● 0747	● 0757	● 0767	● 0777	● 0787	● 0797	● 0837
● 0718	● 0728	● 0738	● 0748	● 0758	● 0768	● 0778	● 0788	● 0798	● 0838
● 0719	● 0729	● 0739	● 0749	● 0759	● 0769	● 0779	● 0789	● 0799	● 0839
● 0991	● 1001	● 1011	● 1411	● 1021	● 1401	● 1391	● 1031	● 1041	● 1051
● 0992	● 1002	● 1012	● 1412	● 1022	▲ 1402	▲ 1392	● 1032	● 1042	● 1052
● 0993	● 1003	● 1013	● 1413	● 1023	● 1403	● 1393	● 1033	● 1043	● 1053
● 0994	● 1004	● 1014	● 1414	● 1024	● 1404	● 1394	● 1034	● 1044	● 1054
● 0995	● 1005	● 1015	● 1415	● 1025	● 1405	● 1395	● 1035	● 1045	● 1055
● 0996	● 1006	● 1016	● 1416	● 1026	● 1406	● 1396	● 1036	● 1046	● 1056
● 0997	● 1007	● 1017	● 1417	● 1027	● 1407	● 1397	● 1037	● 1047	● 1057
● 0998	● 1008	● 1018	● 1418	● 1028	● 1408	● 1398	● 1038	● 1048	● 1058
● 0999	● 1009	● 1019	● 1419	● 1029	● 1409	● 1399	● 1039	● 1049	● 1059

The colors and patterns shown serve as a color guide for the selected product.

Absolute color matching with the supplied material cannot be guaranteed.

All Shades of White tones (starting with W1200) are available for Baumit StarTop/Color, CrystalTop, CreativTop (excluding Silk) and SilikonTop/Color. With the exception of W1200 StarWhite which is only available in StarTop/Color and CreativTop (excluding Silk).


Final digits 1-3: It is recommended to prime with colored Baumit PremiumPrimer.

● Colors are only available in Baumit PuraTop/Color. ▶ Colors are only available in Baumit StarTop/Color, PuraTop/Color, GranoporTop/Color and CreativTop.

▲ Colors can be used on ETICS only in Baumit PuraTop/Color, Baumit StarTop/Color & Baumit CrystalTop (available in colors 3-9 as final digit).

More information on life.baumit.com.

Baumit Life Colour System




Baumit Shades of White




All 12 white tones available for Baumit StarTop/Color, CreativTop und SilikonTop/Color. W1200 StarWhite only available for StarTop/Color and CreativTop!


Baumit Lasur



Baumit Glitter



Baumit Metallic



Baumit Mosaik – Essential Line



All color samples shown here serve as a visual orientation for the selected product. Slight deviations between the colors shown here, color samples, color folders, natural patterns and the materials provided are production-related possible and can not be claimed. The uniformity of color and texture can only be guaranteed within one production batch.

Baumit Mosaik – Natural Line



• Can be used on ETICS only with a double reinforcement layer (minimum thickness 5mm) according to the product datasheet.

● 1261	● 1271	● 0201	● 0211	● 0221	● 0231	● 0241	● 0281	● 0291	● 0301	● 0311
▲ 1262	▲ 1272	0202	0212	0222	0232	0242	0282	0292	0302	0312
▲ 1263	1273	0203	0213	0223	0233	0243	0283	0293	0303	0313
1264	1274	0204	0214	0224	0234	0244	0284	0294	0304	0314
1265	1275	0205	0215	0225	0235	0245	0285	0295	0305	0315
1266	1276	0206	0216	0226	0236	0246	0286	0296	0306	0316
1267	1277	0207	0217	0227	0237	0247	0287	0297	0307	0317
1268	1278	0208	0218	0228	0238	0248	0288	0298	0308	0318
1269	1279	0209	0219	0229	0239	0249	0289	0299	0309	0319
● 0461	● 0471	● 0481	● 0491	● 0501	● 0511	● 0521	● 0561	● 0571	● 0581	● 0591
▸ 0462	▸ 0472	▸ 0482	▸ 0492	▸ 0502	▸ 0512	▸ 0522	0562	0572	▸ 0582	0592
▸ 0463	▸ 0473	▸ 0483	▸ 0493	▸ 0503	▸ 0513	▸ 0523	0563	0573	▸ 0583	0593
▸ 0464	▸ 0474	▸ 0484	▸ 0494	▸ 0504	▸ 0514	▸ 0524	0564	0574	▸ 0584	0594
▸ 0465	▸ 0475	▸ 0485	▸ 0495	▸ 0505	▸ 0515	▸ 0525	0565	0575	▸ 0585	0595
▸ 0466	▸ 0476	▸ 0486	▸ 0496	▸ 0506	▸ 0516	▸ 0526	0566	0576	▸ 0586	0596
▸ 0467	▸ 0477	▸ 0487	▸ 0497	▸ 0507	▸ 0517	▸ 0527	0567	0577	▸ 0587	0597
▸ 0468	▸ 0478	▸ 0488	▸ 0498	▸ 0508	▸ 0518	▸ 0528	0568	0578	▸ 0588	0598
▸ 0469	▸ 0479	▸ 0489	▸ 0499	▸ 0509	▸ 0519	▸ 0529	0569	0579	▸ 0589	0599
● 0841	● 0851	● 1321	● 0861	● 0871	● 0881	● 0891	● 0901	● 0911	● 0921	● 0931
0842	▲ 0852	▲ 1322	▲ 0862	▲ 0872	▲ 0882	▲ 0892	▲ 0902	▲ 0912	▲ 0922	▲ 0932
0843	0853	1323	0863	0873	▲ 0883	▲ 0893	▲ 0903	▲ 0913	▲ 0923	▲ 0933
0844	0854	1324	0864	0874	0884	0894	0904	0914	0924	0934
0845	0855	1325	0865	0875	0885	0895	0905	0915	0925	0935
0846	0856	1326	0866	0876	0886	0896	0906	0916	0926	0936
0847	0857	1327	0867	0877	0887	0897	0907	0917	0927	0937
0848	0858	1328	0868	0878	0888	0898	0908	0918	0928	0938
0849	0859	1329	0869	0879	0889	0899	0909	0919	0929	0939
● 1061	● 1071	● 1421	● 1111	● 1121	● 1131	● 1141	● 1431	● 1441	● 1151	● 1161
1062	1072	1422	1112	1122	1132	1142	1432	1442	1152	1162
1063	1073	1423	1113	1123	1133	1143	1433	1443	1153	1163
1064	1074	1424	1114	1124	1134	1144	1434	1444	1154	1164
1065	1075	1425	1115	1125	1135	1145	1435	1445	1155	1165
1066	1076	1426	1116	1126	1136	1146	1436	1446	1156	1166
1067	1077	1427	1117	1127	1137	1147	1437	1447	1157	1167
1068	1078	1428	1118	1128	1138	1148	1438	1448	1158	1168
1069	1079	1429	1119	1129	1139	1149	1439	1449	1159	1169

Final digits 1-3: It is recommended to prime with colored Baumit PremiumPrimer.
● Colors are only available in Baumit PuraTop/Color. ▸ Colors are only available in Baumit StarTop/Color, PuraTop/Color, GranoporTop/Color and CreativTop.
▲ Colors can be used on ETICS only in Baumit PuraTop/Color, Baumit StarTop/Color & Baumit CrystalTop (available in colors 3–9 as final digit).
More information on life.baumit.com.

For protection
Insulation First
and cosiness

FINAL COATINGS

PAGE 22

EWI

PAGE 36

MINERAL RENDERS

PAGE 52

RENOVATION

PAGE 54



Façade Paints & Renders

PREMIUM FAÇADE PAINTS



Baumit StarColor

Ultimate weather resistant, silicone based outdoor paint solution. Featuring algae resistance and DryPor technology providing a quick drying effect after rain, fog and condensation, StarColor is ideal within harsh environments including coastal, countryside and cities.

- Ultimate weather resistant silicone based paint solution
- Quick drying Drypor effect technology
- Enhanced breathable performance

StarColor	14 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m ² for two coats	010324
Yield:	approx. 40 m ² /bucket for two coats	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

StarColor	5 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m ² for two coats	010305
Yield:	approx. 14 m ² /bucket for two coats	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	



Baumit PuraColor

Featuring Cool Pigments Technology designed specifically for dark and intense colour tones. PuraColor is a ready to use high quality acrylic outdoor paint solution.

- Intense colour tone acrylic paint solution
- Cool pigments technology
- Breathable performance

PuraColor	14 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m ² for two coats	010414
Yield:	approx. 40 m ² /bucket for two coats	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

PuraColor	5 l	Product Code
Consumption:	Approx. 0.3 – 0.35 l/m ² for two coats	010405
Yield:	Approx. 14 m ² /bucket for two coats	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	



PROFESSIONAL FAÇADE PAINTS



Baumit SilikonColor

Universal silicone based ready to use outdoor paint solution for enhanced breathability. With water repellant and weather resistant technology, SilikonColor is the popular choice for a universal array of applications.

- Universal silicone based paint solution
- Water repellant technology providing great weather resistance
- Enhanced breathable performance

SilikonColor	14 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m ² for two coats	010524
Yield:	approx. 40 m ² /bucket for two coats	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

SilikonColor	5 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m ² for two coats	010505
Yield:	approx. 14 m ² /bucket for two coats	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	



Baumit SilikatColor

Specialised silicate based paint for outdoor use providing ultimate breathability. With water repellant technology, SilikatColor is ideal for historical renovation or maintenance projects.

- Specialised silicate based paint solution
- Ideal for historic renovation projects
- Ultimate breathable performance

SilikatColor	14 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m ² for two coats	010624
Yield:	approx. 40 m ² /bucket for two coats	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

SilikatColor	5 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m ² for two coats	010605
Yield:	approx. 14 m ² /bucket for two coats	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	



Baumit GranoporColor

Tried and trusted acrylic based outdoor paint solution. Weather resistant and water repellant, GranoporTop is a popular choice for a wide range of applications.

- Universal acrylic based paint solution
- Water repellant and weather resistant technology
- Breathable performance

GranoporColor	14 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m ² for two coats	010724
Yield:	approx. 40 m ² /bucket for two coats	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

GranoporColor	5 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m ² for two coats	010705
Yield:	approx. 14 m ² /bucket	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	



DESIGN FAÇADE PAINTS


**Baumit Lasur**

Ready to use, matt glaze paint for a more decorative, creative designed façade. See product data sheet for full details.

- Matt
- For creating decorative façades
- Individual design

Lasur	14 l	Product Code
Consumption:	approx. 0.08 – 0.1 l/m ²	010911
Yield:	approx. 140 – 175 m ² /bucket	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

Lasur	5 l	Product Code
Consumption:	approx. 0.08 – 0.1 l/m ²	010902
Yield:	approx. 50–62 m ² /bucket	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	

**Shine 725L****Sensual 726L****Impulse 727L****Gentle 728L****Solid 729L****Mystic 730L****Fresh 731L****Casual 732L****Placid 733L****Faith 734L****Cosy 735 L**

DESIGN FAÇADE PAINTS


**Baumit Metallic**

Ready to use, metallic finish paint, for decorative wall and façade design. Create modern, luxurious finish for a truly unique building design. See product data sheet for full details.

- Elegant glaze
- For decorative highlights
- Imitation of metallic surfaces

Metallic	14 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m ² on smooth surfaces	010914
Yield:	approx. 40 – 47 m ² /bucket	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

Metallic	5 l	Product Code
Consumption:	approx. 0.3–0.35 l/m ² on smooth surfaces	010905
Yield:	approx. 14–16,5 m ² /bucket	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	


**Titan 746M****Platin 747M****Saphir 748M****Smaragd 751M****Gold 753M****Rubin 754M****Bronze 755M****Azurit 756M****Baumit Glitter**

Ready to use, transparent coating with metallic glitter. Use for decorative highlights on top of other Baumit paints and renders. – See product data sheet for full details.

- Sparkling effect through sunlight
- Decorative and exceptional
- Individual design

Glitter	14 l	Product Code
Consumption:	approx. 0.10–0.15 l/m ² for 1 layer	010916
Yield:	approx. 93 – 140 m ² /bucket	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

Glitter	5 l	Product Code
Consumption:	approx. 0.10–0.15 l/m ² for 1 layer	010907
Yield:	approx. 33–50 m ² /bucket	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	

**Gold 771G****Silver 773G****SilverFine 774G****Rainbow 775G****Baumit Finish**

Ready to use, matt, colourless seal for use with Baumit Lasur paint. Also suitable for dilution of Lasur.

- For use with Baumit Lasur
- Long-term protection
- Control of colour intensity

Finish	14 l	Product Code
Consumption:	approx. 0.08 – 0.1 l/m ² for 1 layer	010918
Yield:	approx. 140 – 175 m ² /bucket	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

Finish	5 l	Product Code
Consumption:	approx. 0.08 – 0.1 l/m ² for 1 layer	010909
Yield:	approx. 50 – 62 m ² /bucket	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	



PREMIUM FAÇADE RENDERS



Baumit StarTop

Ultimate weather resistant, ready to use silicone based render top coat. Featuring algae resistance and DryPor technology providing a quick drying effect after rain, fog and condensation, StarTop is ideal within harsh environments including coastal, countryside and cities. Available in a range of aggregate sizes and suitable for hand and machine application.

- Ultimate weather resistant silicone based render solution
- Quick drying Drypor effect technology
- Enhanced breathable performance

StarTop	K 2.0 mm	Product Code
Consumption:	approx. 2.9 kg/m ²	020312
Yield:	approx. 8.6 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

StarTop	K 1.5 mm	Product Code
Consumption:	approx. 2.5 kg/m ²	020310
Yield:	approx. 10 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

StarTop	K 3.0 mm	Product Code
Consumption:	approx. 3.9 kg/m ²	020313
Yield:	approx. 6.4 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	



PREMIUM FAÇADE RENDERS



Baumit PuraTop

Featuring Cool Pigments Technology designed specifically for dark and intense colour tones. PuraTop is a ready to use high quality acrylic render top coat with enhanced breathability. Available in a range of aggregate sizes for different finishes and suitable for both hand and machine application.

- Intense colour tone acrylic render solution
- Cool pigments technology
- Enhanced breathable performance

PuraTop	K 2.0 mm	Product Code
Consumption:	approx. 2.9 kg/m ²	021620
Yield:	approx. 8.6 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

PuraTop	K 1.5 mm	Product Code
Consumption:	approx. 2.5 kg/m ²	021616
Yield:	approx. 10 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

PuraTop	K 3.0 mm	Product Code
Consumption:	approx. 3.9 kg/m ²	021630
Yield:	approx. 6.4 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 16 buckets = 400 kg	

PuraTop Fine	K 1.0 mm*	Product Code
Consumption:	approx. 2.0 kg/m ²	021610
Yield:	approx. 12.5 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 16 buckets = 400 kg	



*The structure is only suitable for small areas and façade details

PROFESSIONAL FAÇADE RENDERS



Baumit SilikonTop

Universal silicone based ready to use render top coat for enhanced breathability. With water repellant and weather resistant technology, SilikonTop is the popular choice for a universal array of applications. Available in a range of aggregate sizes for different finishes and suitable for both hand and machine application.

- Universal silicone based render solution
- Water repellent technology providing great weather resistance
- Enhanced breathable performance

SilikonTop	K 2.0 mm	Product Code
Consumption:	approx. 2.9 kg/m ²	020392
Yield:	approx. 8.6 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

SilikonTop	K 1.5 mm	Product Code
Consumption:	approx. 2.5 kg/m ²	020391
Yield:	approx. 10 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

SilikonTop	K 3.0 mm	Product Code
Consumption:	approx. 3.9 kg/m ²	020393
Yield:	approx. 6.4 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

SilikonTop Fine	K 1.0 mm*	Product Code
Consumption:	approx. 2.0 kg/m ²	021001
Yield:	approx. 12.5 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	



*The structure is only suitable for small areas and façade details

PROFESSIONAL FAÇADE RENDERS



Baumit SilikatTop

Ready to use specialised silicate based render top coat solution for ultimate breathability. With water repellant technology, SilikatTop is available in a range of aggregate sizes and is ideal for historical renovation or maintenance projects. Suitable for hand and machine application.

- Specialised silicate based render solution
- Ideal for historic renovation projects
- Ultimate breathable performance

SilikatTop	K 2.0 mm	Product Code
Consumption:	approx. 2.9 kg/m ²	020692
Yield:	approx. 8.6 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

SilikatTop	K 1.5 mm	Product Code
Consumption:	approx. 2.5 kg/m ²	020691
Yield:	approx. 10 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

SilikatTop	K 3.0 mm	Product Code
Consumption:	approx. 3.9 kg/m ²	020693
Yield:	approx. 6.4 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	



PROFESSIONAL FAÇADE RENDERS



Baumit GranoporTop

Tried and trusted acrylic based, breathable render top coat. Weather resistant and water repellant, GranoporTop is a popular choice for a wide range of applications. Ready to use, available in a choice of aggregate sizes for different finishes, GranoporTop is suitable for both hand and machine application.

- Universal acrylic based render solution
- Water repellant and weather resistant technology
- Breathable performance

GranoporTop K 2.0 mm	Product Code
Consumption:	Approx. 2.9 kg/m ²
Yield:	Approx. 8.6 m ² /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

GranoporTop K 1.5 mm	Product Code
Consumption:	Approx. 2.5 kg/m ²
Yield:	Approx. 10 m ² /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

GranoporTop K 3.0 mm	Product Code
Consumption:	Approx. 3.9 kg/m ²
Yield:	Approx. 6.4 m ² /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg



PROFESSIONAL FAÇADE RENDERS



Baumit CreativTop

With a host of effects, colours and techniques, CreativTop provides endless design opportunities. Featuring algae resistance and DryPor technology providing a quick drying effect after rain, fog and condensation, CreativTop is durable too. Produced using silicone resin, CreativTop is ready to use and available in a wide range of aggregate sizes, according to the required finish and suitable for hand and machine application.

- Endless creative, colourful and unique design possibilities
- Quick drying Drypor effect technology
- Enhanced breathable performance

CreativTop Max 4.0 mm	Product Code
Consumption:	approx. 5.0 – 6.2 kg/m ²
Yield:	approx. 4.0 – 5.0 m ² /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

CreativTop Trend 3.0 mm	Product Code
Consumption:	approx. 4.2 – 6.2 kg/m ²
Yield:	approx. 4.0 – 5.9 m ² /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

CreativTop Vario 1.5 mm	Product Code
Consumption:	approx. 2.5 – 5.0 kg/m ²
Yield:	approx. 5.0 – 10.0 m ² /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

CreativTop Fine 1.0 mm	Product Code
Consumption:	approx. 2.9 – 4.2 kg/m ²
Yield:	approx. 5.9 – 8.6 m ² /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

CreativTop Pearl 0.5 mm	Product Code
Consumption:	approx. 1.5 – 3.5 kg/m ²
Yield:	approx. 7.1 – 16.6 m ² /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

CreativTop Silk 0.2 mm	Product Code
Consumption:	approx. 2.4 – 4.0 kg/m ²
Yield:	approx. 6.25 – 10.0 m ² /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg



DESIGN FAÇADE RENDERS



Baumit MosaikTop

Ready-to-use, acrylic based render for external use. Coloured quartz sand specifically designed for use at a buildings splash zone and for individual design elements. See product data sheet for recommended primers.

- Coated and coloured quartz sand
- Natural and authentic stone look
- Impact resistant



MosaikTop – Natural Line

Consumption:	approx. 4.5 kg/m ²
Yield:	approx. 5.5 m ² /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

MosaikTop – Essential Line

Consumption:	approx. 5.5 kg/m ²
Yield:	approx. 4.5 m ² /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg



MOSAIK – NATURAL LINE



M 337 **Montblanc**
Product Code - **021372**




M 338 **Olympus**
Product Code - **021373**




M 339 **Castle**
Product Code - **021374**



M 340 **Babia**
Product Code - **021375**




M 341 **Rocky** •
Product Code - **021376**



M 342 **Everest** •
Product Code - **021377**



M 343 **Etna** •
Product Code - **021378**



M 344 **Vesuvius** •
Product Code - **021379**

- Can be used on EWI only with a double reinforcement layer (minimum thickness 5mm) according to the product datasheet.

MOSAIK – ESSENTIAL LINE



M 301 **Albaron**
Product Code - **021300**




M 302 **Monviso**
Product Code - **021301**




M 303 **Matterhorn**
Product Code - **021302**



M 304 **Denali**
Product Code - **021303**



M 305 **Victoria**
Product Code - **021304**



M 306 **Parnass** •
Product Code - **021305**




M 307 **Bistra**
Product Code - **021306**




M 308 **Kope**
Product Code - **021307**




M 312 **Cook**
Product Code - **021311**




M 313 **Athos** •
Product Code - **021312**




M 314 **Ararat** •
Product Code - **021313**



M 315 **Rodna** •
Product Code - **021314**




M 316 **Kosh** •
Product Code - **021315**




M 317 **El Capitan** •
Product Code - **021316**




M 318 **Rax** •
Product Code - **021317**




M 325 **Bellavista**
Product Code - **021324**




M 326 **Triglav**
Product Code - **021325**



M 327 **Rushmore**
Product Code - **021326**



M 328 **Durano** •
Product Code - **021327**



M 329 **Cristallo**
Product Code - **021328**



M 330 **Elbrus** •
Product Code - **021329**



M 331 **Nemrut** •
Product Code - **021299**

All colour samples shown here serve as a visual orientation for the selected product. Slight deviations between the colours shown here, colour samples, colour folders, natural patterns and the materials provided are production-related possible and can not be claimed. The uniformity of colour and texture can only be guaranteed within one production batch.

- Can be used on EWI only with a double reinforcement layer (minimum thickness 5mm) according to the product datasheet.

CLASSIC RENDER FINISHES



Baumit SEP

Mineral based decorative topcoat render providing decoration and protection to façades or internal finishes. Suitable for hand or machine application. Suitable for use as a part of all Baumit Systems. Requires painting with Baumit 'Color' product.

- Internal and external use
- Hand or machine application

SEP 01 - 1mm 25kg			Product Code
Consumption:	approx. 2.2kg/m ²	White:	030401
Yield:	approx. 11.4m ² /bag	Coloured:	030491
Packaging:	25kg, 1 pallet = 42 bags = 1050kg		
SEP 02 - 2mm 25kg			Product Code
Consumption:	approx. 3.3kg/m ²	White:	030402
Yield:	approx. 7.6m ² /bag	Coloured:	030492
Packaging:	25kg, 1 pallet = 42 bags = 1050kg		
SEP 03 - 3mm 25kg			Product Code
Consumption:	approx. 4.0kg/m ²	White:	030403
Yield:	approx. 6.3m ² /bag	Coloured:	030493
Packaging:	25kg, 1 pallet = 42 bags = 1050kg		
SEP 04 - 4mm 25kg			Product Code
Consumption:	approx. 5.5kg/m ²	White:	030404
Yield:	approx. 4.5m ² /bag	Coloured:	030494
Packaging:	25kg, 1 pallet = 42 bags = 1050kg		



Façade Primers & Additives

PRIMERS



Baunit PremiumPrimer

Ready-to-use, universally usable primer to equalise absorption and acts as bonding agent for all Baunit ETIC- and plaster systems. The added grain makes it easier to apply and structure all top coats. Can be coloured - see product data sheet for detailed information.

- Excellent absorption equaliser
- Ideal bonding agent
- For a perfect structure

PremiumPrimer	20 kg	Product Code
Consumption:	approx. 0.25 – 0.4 kg/m² depending on the substrate	040120
Yield:	approx. 50 – 80 m²/bucket	
Packaging:	20 kg bucket, 1 pallet = 32 buckets = 640 kg	

PremiumPrimer	5 kg	Product Code
Consumption:	approx. 0.25 – 0.4 kg/m² depending on the substrate	040105
Yield:	approx. 12.5 – 20 m²/bucket	
Packaging:	5 kg bucket, 1 pallet = 64 buckets = 320 kg	



Baunit UniPrimer

Ready-to-use, all-purpose primer to regulate absorbtion and improve adhesion for all Baunit render finishes and Baunit façade paints.

- Regulates absorbtion
- Proven and safe
- Solvent-free

UniPrimer	25 kg	Product Code
Consumption:	approx. 0.20 – 0.4 kg/m² depending on the substrate	040325
Yield:	approx. 62 – 125 m²/bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

UniPrimer	5 kg	Product Code
Consumption:	approx. 0.20 – 0.4 kg/m² depending on the substrate	040305
Yield:	approx. 12.5 – 25 m²/bucket	
Packaging:	5 kg bucket, 1 pallet = 64 buckets = 320 kg	

FINAL COATINGS



PRIMERS



Baunit MultiPrimer

Water vapour permeable primer for solidification of mineral and organic surfaces, before application of Baunit façade renders and paints. Ideal for high suction backgrounds.

- Compacting surface
- Universal use
- Diffusion open

MultiPrimer	10 l	Product Code
Consumption:	approx. 0.10 – 0.25 /m² (depending on dilution)	040510
Yield:	approx. 40 – 100 m²/canister	
Packaging:	10 l canister, 1 pallet = 40 canisters = 400 l	



Baunit FillPrimer

Ready-to-use, crack-filling, fiber-reinforced, universal primer for outside and inside. Fills and covers cracks up to 0.5 mm. Solvent free.

- Crack-filling
- Fiber-reinforced
- Solvent free

FillPrimer	25 kg	Product Code
Consumption:	approx. 0.30 kg/m² (on smooth surfaces applied in 1 layer)	040100
Yield:	approx. 80 m²/bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	



Baunit SanovaPrimer

Silicate primer for stabilising sandy, mineral plasters. Suitable for lime/cement and chalky plasters.

- Solidifying surfaces
- For mineralic substrates
- Silicate based

SanovaPrimer	10 l	Product Code
Consumption:	approx. 0.20 l/m² per painting	040711
Yield:	approx. 40 – 50 m²/canister	
Packaging:	10 l canister, 1 pallet = 40 canisters = 400 l	



Baunit SuperPrimer **NEW**

Ready-to-use, high quality, solvent-free primer filled with quartz sand, especially for weak and non-absorbent surfaces on walls and floors indoor and outdoor.

- Universal adhesive bridge
- Especially for weak and non-absorbent surfaces
- Solvent-free

SuperPrimer	20 kg	Product Code
Consumption:	approx. 0.3 kg/m² (depending on substrate)	040326
Packaging:	20 kg bucket, 1 pallet = 32 buckets = 640 kg	

SUBSTRATE PREPARATION

**Baumit FungoFluid**

Remediation solution for treating façade surfaces with fungal or algae growth, solvent free.

- For beautiful façades
- Treatment against algae and fungi
- Ready to use

FungoFluid	10 l	Product Code
Consumption:	approx. 0.05 – 0.1 l / m ² (depending on dilution)	040731
Yield:	approx. 100 – 200 m ² /canister	
Packaging:	5 l canister, 1 pallet = 128 canisters = 640 l	

COLD WORKING ADDITIVES

**Baumit SpeedTop**

Ready to use additive for SilikonTop and GranoporTop. Provides accelerated film forming properties, enhanced durability on the façade in high humidity and low temperatures, as well as in fog. Can be added in temperatures of >+1°C and <15°C and with relative humidity of <95%.

SpeedTop	250 ml	Product Code
Consumption:	One bottle (= 250 ml) per 25 kg SilikonTop or GranoporTop	971414

**Baumit SpeedTop Star**

Ready to use additive specifically for StarTop. Provides accelerated film forming properties, enhanced durability on the façade in high humidity and low temperatures, as well as in fog. Can be added in temperatures of >+1°C and <15°C and with relative humidity of <95%.

SpeedTop	400 ml	Product Code
Consumption:	One bottle (= 400 ml) per 25 kg StarTop	971430



Adhesives & Base Coats

ADHESIVES AND BASE COATS



Baumit StarContact White

Top quality adhesive and reinforcing mortar with white cement, especially for Baumit StarSystems. Complying, with a high degree of safety, to all parameters required by the new European Assessment Document for External Thermal Insulation Composite System (EWI). Very flexible, extremely weather-resistant, with excellent workability, guaranteeing long lasting performance. Formulated for demanding applications, weather conditions during processing and demanding substrates.

- Strong adhesion
- Vapour permeable
- Natural white colour

E M N
R



StarContact White	25 kg	Product Code
Consumption:	As adhesive: approx. 4.0 – 5.0 kg/m ² As base coat: approx. 5.0 – 6.0 kg/m ²	050325
Yield:	As adhesive: approx. 5.0 – 6.25 m ² /bag As base coat: approx. 4.2 – 5.0 m ² /bag	
Packaging:	25 kg, 1 pallet = 42 bags = 1.050 kg	



Baumit StarContact

Flexible, mineral-based, dry adhesive and basecoat render for Baumit EWI systems. Also suitable as a bonding mortar onto concrete. Suitable for use as a part of Baumit StarSystem, StarSystem Mineral, StarSystem Nature and Plinth System. Compliant with ETAG 004 European System Standards for EWI systems with rendering.

- Strong adhesion
- Good workability
- Universal application

E M N
R

StarContact White	25 kg	Product Code
Consumption:	As adhesive: approx. 4.0 – 5.0 kg/m ² As base coat: approx. 5.0 – 6.0 kg/m ²	050525
Yield:	As adhesive: approx. 5.0 – 6.25 m ² /bag As base coat: approx. 4.2 – 5.0 m ² /bag	
Packaging:	25 kg, 1 pallet = 42 bags = 1.050 kg	

FAST
EASY
SUSTAINABLE
GEL
TECHNOLOGY

ADHESIVES AND BASE COATS



Baumit MultiContact MC 55 W

Natural-white, fibre-reinforced multi-purpose bonding mortar. Suitable as a remedying render over existing stable, mineral and synthetic-resin-based plasters, renders and paintwork. Also suitable as a keying coat on concrete and insulating boards or as a finish render on concrete formwork and fair faced masonry. System component of Baumit StarSystem Nature.

- Multi-purpose contact mortar
- Fibre reinforced
- For all mineral substrates

Baumit MultiContact MC 55W 25 kg		Product Code
Consumption:	As adhesive: approx. 4.0 – 5.0kg/m²	100125
	As basecoat: approx. 5.0 – 5.5kg/m²	
Yield:	As adhesive: Approx. 5.0 – 6.25m² /bag	
	As basecoat: approx. 4.5 - 5.0kg/m² /bag	
Grain size:	0 - 1.2mm	
Packaging:	25 kg, 1 pallet = 42 bags = 1.050 kg	

BASE COATS



Baumit PowerFlex

Ready-to-use, cement-free, fibre-reinforced, organic base coat. Specially developed for Baumit PowerSystem due to high impact resistance. Complies with all requirements of ETAG 004.

- High impact resistance
- Cement-free
- Fibre-reinforced

PowerFlex	25 kg	Product Code
Consumption:	approx. 4.0 - 5.0 kg/m ²	051025
Yield:	approx. 5.0 - 6.25 m ² /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

ADHESIVES



Baumit SupraFix

Mineral-based, dry adhesive for bonding façade insulation boards on to timber substrates (eg. OSB, chipboard) or on to bituminous substrates.

- For timber substrates
- High adhesion
- Flexible

SupraFix	25 kg	Product Code
Consumption:	approx. 2.0 – 4.5 kg/m ²	051325
Yield:	approx. 5.0 – 12.5 m ² /bag	
Packaging:	25 kg, 1 pallet = 54 bags = 1.350 kg	

Baumit BituFix 2K

Two-component, polystyrene-filled, solvent free, for cold application rubber modified bituminous thick coating. For use in bonding Baumit Plinth Insulation board onto bituminous sealant background.

- For Plinth insulation board
- For bituminous substrates

Baumit BituFix 2K	30 l	Product Code
Consumption:	approx. 4 – 8 l/m ²	071130
Yield:	approx. 4 – 7.5 m ² /bucket	
Packaging:	30 l bucket, 1 pallet = 12 buckets = 360 l	

SEALANTS



Baumit DS 26 Flex

Cementitious waterproofing layer in the Plinth area. Apply with a brush, roller or trowel.

- Reliable sealing layer
- Easy application
- Flexible

Baumit DS 26 Flex	20 kg	Product Code
Consumption:	approx 1.2kg/m ² /mm	071120
Yield:	approx 8m ² /bag /2mm	
Packaging:	20kg, 1 pallet = 48 bags = 960kg	



Insulation Boards

EPS INSULATION BOARD



Baumit openTherm reflectair (OpenSystem)

Grey, water vapour permeable, perforated EPS boards. Part of the ultimate highly breathable EWI system Baumit OpenSystem, with improved thermal insulation. Compliant with ETAG 004 European System Standards for EWI systems with rendering. Size: 500 x 1000mm. and demanding substrates.

- High thermal insulation
- Highly vapour permeable

openTherm reflectair / Thermal conductivity: $\lambda = 0.031$ W/mK		
SIZE	Packaging	Product Code
60mm	8 boards/pack = 4.0m ² /pack	060160
80mm	6 boards/pack = 3.0m ² /pack	060180
100mm	5 boards/pack = 2.5m ² /pack	060110
120mm	4 boards/pack = 2.0m ² /pack	060112
140mm	3 boards/pack = 1.5m ² /pack	060114
160mm	3 boards/pack = 1.5m ² /pack	060116
180mm	2 boards/pack = 1.0m ² /pack	060118
200mm	2 boards/pack = 1.0m ² /pack	060120

Baumit StarTherm EPS (StarSystem EPS)

Grey, square-edged, EPS boards for EWI systems. Compliant with ETAG 004 European System Standards for EWI systems with rendering. Size: 1200 x 600mm, thicknesses from 20 - 300mm.


Grey EPS / Thermal conductivity: $\lambda = 0.032$ W/mK		
SIZE	Packaging	Product Code
20mm	30 boards/pack = 21.60m ² /pack	060323
30mm	20 boards/pack = 14.40m ² /pack	060335
40mm	15 boards/pack = 10.80m ² /pack	060340
50mm	12 boards/pack = 8.64m ² /pack	060350
60mm	10 boards/pack = 7.62m ² /pack	060360
70mm	8 boards/pack = 5.76m ² /pack	060385
80mm	7 boards/pack = 5.04m ² /pack	060380
90mm	6 boards/pack = 4.32m ² /pack	060390
100mm	6 boards/pack = 4.32m ² /pack	060310
120mm	5 boards/pack = 3.60m ² /pack	060312

Additional sizes available on request.

EWI



MINERAL WOOL INSULATION BOARDS



Mineral Wool EWI Slab (StarSystem Mineral)

Non-combustible, EWI mineral wool façade insulation board complying with EN 13162. System component of Baumit StarSystem Mineral. Euroclass A1 Rated. Compliant with ETAG 004 European System Standards for EWI systems with rendering. Thicknesses of 30 - 250mm. Size: 600 x 1200mm.

Mineral Wool EWI Slab / Thermal conductivity: $\lambda = 0.036$ W/mK		
SIZE	Packaging	Product Code
60mm	40 boards = 28.8m ² /pallet	060660
80mm	30 boards = 21.6m ² /pallet	060680
100mm	24 boards = 17.28m ² /pallet	060610
120mm	20 boards = 14.4m ² /pallet	060612
140mm	18 boards = 12.96m ² /pallet	060614
160mm	16 boards = 11.52m ² /pallet	060616
180mm	12 boards = 8.64m ² /pallet	060618
200mm	12 boards = 8.64m ² /pallet	060620

PHENOLIC INSULATION BOARDS



Baumit ResolutionTherm (StarSystem Resolution)

Rigid phenolic façade insulation board complying with DIN EN 13166 faced with 3mm grey EPS layer on both surfaces. System component of EWI Baumit StarSystem Resolution. Board size: 500 x 1000mm.

ResolutionTherm / Thermal conductivity: $\lambda = 0.022$ W/mK		
SIZE	Packaging	Product Code
40mm	12 boards = 8.6m ² /pallet	060740
60mm	8 boards = 5.8m ² /pallet	060760
80mm	6 boards = 4.3m ² /pallet	060780
100mm	5 boards = 3.6m ² /pallet	060710
120mm	4 boards = 2.9m ² /pallet	060712

WOOD FIBRE INSULATION BOARDS



Baumit StarTherm Nature (StarSystem Nature)

Wood fibre façade insulation board: The core of the Baumit StarTherm Nature EWI System is the Baumit StarTherm Nature wood fibre insulation board. This multi-layered insulation board is produced without any artificial binders and is bound using the timber's own lignin. Size 1350 x 600.

Wood Fibre Board / Thermal conductivity: $\lambda = 0.040$ W/mK		
SIZE	Packaging	Product Code
40mm	56 boards = 45.3m ² /pallet	060941
60mm	38 boards = 30.7m ² /pallet	060960
80mm	28 boards = 22.6m ² /pallet	060980
100mm	22 boards = 17.8m ² /pallet	060910
120mm	18 boards = 14.3m ² /pallet	060912

INSULATED PLINTH BOARDS




Baumit PlinthTherm XPS (PlinthSystem)

High density XPS boards for use in EWI systems in the plinth area. Board size: 1250 x 650mm Thickness: 40 - 300mm

PlinthTherm XPS / Thermal conductivity: $\lambda = 0.035$ W/mK		
SIZE	Packaging	Product Code
40mm	10 boards/ 7.5m ²	060840
60mm	7 boards/ 5.25m ²	060860
80mm	5 boards/ 3.75m ²	060880
100mm	4 boards/ 3.00m ²	060810
120mm	4 boards/ 3.00m ²	060812
140mm	3 boards/ 2.25m ²	060814
160mm	3 boards/ 2.25m ²	060816
180mm	2 boards/ 1.50m ²	060818
200mm	2 boards/ 1.50m ²	060820

Mesh & Fixings

GLASS FIBRE MESH



Baunit StarTex Fine 160

Flexible and alkali-resistant glass fibre mesh. Tested system components for the reinforcement of Baunit renders onto Baunit EWI systems. Compliant with ETAG 004 European System Standards for EWI systems with rendering. Tear resistance > 2.0 kN/5 cm. Weight: approx. 160 g/m²

StarTex 160		Product Code
Mesh:	approx. 4 x 4.5mm	070250
Consumption:	approx. 1.1m ² /m ²	
Yield:	approx. 45m ² /roll	
Packaging:	Roll: 50m ² (width 1m), 1 pallet = 30 rolls = 1500m ²	



Baunit StarTex Grob/CeramicTex

Flexible and alkali-resistant glass fibre mesh. Tested system components for the reinforcement of Baunit renders onto Baunit EWI systems. Tear resistance > 2.2 kN/5 cm. Weight: approx. 200 g/m². Used in the Baunit Keramik systems.

StarTex 200		Product Code
Mesh:	approx. 6.5 x 7mm	070275
Consumption:	approx. 1.1m ² /m ²	
Yield:	approx. 45m ² /roll	
Packaging:	Roll: 50m ² (Width 1m), 1 pallet = 20 rolls = 1000m ²	



Baunit StrongTex 300

Flexible and alkali-resistant, reinforced glass fibre mesh for use as an extra reinforcing layer over the normal reinforcement mesh. Tested system components. Tear resistance > 3.4 kN/5 cm. Weight: approx. 300 g/m²

StrongTex 300		Product Code
Mesh:	approx. 6 x 6mm	070299
Consumption:	approx. 1m ² /m ²	
Yield:	approx. 25m ² /roll	
Packaging:	Roll: 25m ² (Width 1m), 1 pallet = 30 rolls = 750m ²	

STARTRACK

For use with Baunit StarSystem EPS and openSystem



Baunit StarTrack X1

Additional mechanical fastening as an alternative to conventional fixing for concrete. Due to the powder-actuated tool, powered by Hilti, there is no need to drill and fix the anchor separately. Just fix Baunit StarTrack X1 in one application step.

Baunit StarTrack X1		Product Code
Field of application:	concrete	070541
Usage category:	A	
Consumption:	min. 6 adhesive anchors/m ² (1 carton for approx. 50 m ²)	
Carton:	400 pieces, 1 pallet = 24 cartons = 9.600 pcs.	



Baunit StarTrack Orange

Supplementary mechanical fixing as an alternative to traditional fixings, for use with perforated building materials, aerated concrete and critical backgrounds. Existing render up to max. 40mm can be bridged. Drill diameter: 8mm.

Baunit StarTrack Orange		Product Code
Anchor depth in supporting background:	> 40mm/ > 65mm in aerated concrete	070540
Shaft length:	88mm	
Bore hole depth:	min. 95mm	
Consumption:	6 StarTrack/m ² (1 Carton for approx. 50m ²)	
Quantity per box:	Carton 300 pcs, 1 pallet = 12 cartons = 3600 pcs	



Baunit StarTrack Red

Supplementary mechanical fixing as an alternative to traditional fixings. For use with perforated and solid masonry and concrete. Existing render up to max. 40mm can be bridged. Drill diameter: 8mm.

Baunit StarTrack Red		Product Code
Anchor depth in supporting background:	> 40mm	070510
Shaft length:	88mm	
Bore hole depth:	min. 95mm	
Consumption:	6 StarTrack/m ² (1 Carton for approx. 50m ²)	
Quantity per box:	Carton 300 pcs	



Baunit StarTrack Blue

Supplementary mechanical fixing as an alternative to traditional fixings. For use on concrete and stone backgrounds. Drill diameter: 8mm.

Baunit StarTrack Blue		Product Code
Anchor depth in supporting background:	> 40mm	070520
Shaft length:	55mm	
Bore hole depth:	min. 60mm	
Consumption:	6 StarTrack/m ² (1 Carton for approx. 50m ²)	
Quantity per box:	Carton 300 pcs	



Baunit StarTrack Duplex

Supplementary mechanical fixing as an alternative to traditional fixings, for use when installing Baunit EWI systems over existing external insulation. Drill diameter: 8mm.

Baunit StarTrack Duplex		Product Code
Anchor depth in supporting background:	> 40mm	070531
Shaft length:	138mm	
Bore hole depth:	min. 150 - 155mm	
Consumption:	6 StarTrack/m ² (1 Carton for approx. 33m ²)	
Quantity per box:	Carton 200 pcs	

BAUMIT EWI SYSTEM FIXINGS



Baunit S (replaces STR U 2G)

Plate screw anchor optimised for thermal bridges with increased installation speed (faster, shorter screw). Different cone lengths of the plug depending on the insulation thickness.

STR U 2G						
Fixing length	Max insulation thickness	Washer diameter	Anchor diameter	Pack Size	NEW Product Code	Old Product Code
115mm	80mm	60mm	8mm	100	070716	070601
135mm	100mm	60mm	8mm	100	070717	070602
155mm	120mm	60mm	8mm	100	070718	070604
175mm	140mm	60mm	8mm	100	070719	070605
195mm	160mm	60mm	8mm	100	070720	070606
215mm	180mm	60mm	8mm	100	070721	070607
235mm	200mm	60mm	8mm	100	070722	070608
255mm	220mm	60mm	8mm	100	070723	070633
275mm	240mm	60mm	8mm	100	070724	070651
295mm	260mm	60mm	8mm	100	070725	070697
315mm	280mm	60mm	8mm	100	070715	



Baunit S Tool

Special setting tool for recessing the Baunit S fixing anchor. With exchangeable circular cutters, screw bits and depth stop plate. Baunit replacement cutting blades on request.

S Installation Tool			Product Code
Pack size:	1 piece		070738
S Adjustment Rod Spare			Product Code
Pack size:	1 piece		070739
S Screw Bit Spare			Product Code
Pack size:	1 piece		070740



Rondelle STR U

Insulating caps EPS for Baunit STR U 2G fixing anchor with conical flank for firm fitting into the insulating material, when fixings have been countersunk

Rondelle STR U	
Size:	Diameter: 65mm Thickness: 15mm
Pack size:	100 pcs
Models	Product Code
EPS 032 grey	070620
Mineral Cap	070621



Baunit S EPS Plug

Insulating plugs for use with surface mounted fixings. For screw in fixings only.

S EPS Plug	Product Code
Pack size: Carton quantity 500 plugs	070737

BAUMIT EWI SYSTEM FIXINGS



Baunit N (replaces H1 ECO & H3)

Plate impact anchor with fibre reinforced plastic nail with defined plate retraction (telescopic effect).

N						
Fixing length	Max insulation thickness	Washer diameter	Anchor diameter	Pack Size	NEW Product Code	Old Product Code
95mm	60mm	60mm	8mm	100	070726	070653
115mm	80mm	60mm	8mm	100	070727	070646
135mm	100mm	60mm	8mm	100	070728	070647
155mm	120mm	60mm	8mm	100	070729	070652
175mm	140mm	60mm	8mm	100	070730	070671
195mm	160mm	60mm	8mm	100	070731	070672
215mm	180mm	60mm	8mm	100	070732	070673
235mm	200mm	60mm	8mm	100	070733	070674
255mm	220mm	60mm	8mm	100	070734	070675
275mm	240mm	60mm	8mm	100	070735	070676
295mm	260mm	60mm	8mm	100	070736	070677



Baunit H3 Hammer Fixing

Universal hammer-in anchor with plastic expansion pin, flexible washer. For concrete, solid and perforated masonry. Compliant with ETAG 004 European System Standards for EWI systems with rendering.

H3 Hammer Fixing					
Fixing Length	Max insulation thickness	Washer diameter	Anchor diameter	Pack size	Product Code
75mm	40mm	60mm	8mm	200	070634

BAUMIT EWI SYSTEM FIXINGS



Baumit STR H

Recessed or surface-fixed screw-set anchor for use in timber substrates. For recessed applications use STR insulation caps available in Mineral wool and EPS.

STR H					
Fixing length	Max insulation thickness	Washer diameter	Anchor diameter	Pack size	Product Code
80mm	40mm	60mm	6mm	100	070609
100mm	60mm	60mm	6mm	100	070610
120mm	80mm	60mm	6mm	100	070611
140mm	100mm	60mm	6mm	100	070612
160mm	120mm	60mm	6mm	100	070613
180mm	140mm	60mm	6mm	100	070614
200mm	160mm	60mm	6mm	100	070615
220mm	180mm	60mm	6mm	100	070616
240mm	200mm	60mm	6mm	100	070617



Baumit Fire Pins DMH 8 for masonry

Stainless steel, non-combustible fixing for use in EWI systems onto masonry substrates.

DMH 8			
Fixing length	Max insulation thickness	Pack size	Product Code
80mm	30mm	100	970698
110mm	60mm	100	970699
140mm	90mm	100	970700
170mm	120mm	100	970701
200mm	150mm	100	970702



Baumit DIPK 10/10-30

Mesh support system for scrim and pin system.

DIPK 10/10-30		Product Code
Anchor diameter:	10mm	970717
Usable length:	30 - 60mm	
Washer diameter:	50mm	
Min. drill hole depth:	40mm	

BAUMIT EWI SYSTEM FIXINGS



Baumit Nail Anchors

Pre-mounted nail anchor to mount base rails. Available in 6mm or 8mm diameter.

ND-K 8 x 80		Product Code
Size:	8 x 80mm	140238
Bore hole depth:	less than or equal to 40mm	
Embedded depth:	less than or equal to 30mm	
Pack size:	Carton 100 pcs	



Baumit Backing Board Fixing for CP board

For application onto sheathing boards. Carbon steel with organic corrosion resistant finish. Use in conjunction with SBH-T Washer. Available in 60-300mm lengths. For timber frame and light garage steel.

SW8R Fixing			
Fixing length	Thread diameter	Pack size	Product Code
60mm	4.8mm	500	070686
80mm	4.8mm	250	070687
90mm	4.8mm	250	070688
100mm	4.8mm	250	070689
110mm	4.8mm	250	070690
120mm	4.8mm	250	070691
130mm	4.8mm	250	070692
140mm	4.8mm	200	070693
150mm	4.8mm	200	070694
200mm	4.8mm	200	070695
220mm	4.8mm	200	070710
240mm	4.8mm	200	070711
260mm	4.8mm	200	070712
280mm	4.8mm	200	070713
300mm	4.8mm	200	070714




SBH-T 65/25 Washer		Product Code
Size:	65mm	070696

Fixing Type	Substrate Type						
	Concrete	Concrete Blocks	Bricks	Solid Masonry	Solid Stonework	Timber	Steel
Baumit S	●	●	●	●	●		
Baumit N	●	●	●	●	●		
Baumit H3 Hammer Fixing	●	●	●	●	●		
Baumit STR H						●	
Baumit Fire Pins DMH 8	●	●	●				
Baumit DIPK 10/40-60	●	●	●	●	●		



Accessories

PROFILES



Baunit PVC Base Profile Therm

Base profile made of plastic to minimise thermal bridges, with drip edge trim, bonded glass fibre mesh and connector pin system to prevent cracking occurring at the connection joints.

Base Profile Therm		
Width of mesh 125mm. Thermal conductivity: $\lambda = 0.20 \text{ W/mK}$ (Aluminium: approx. 200 W/mK)		
Insulation thickness	Packaging	Product Code
50-60mm	Length 2m, pack = 10 lengths = 20m	970805
60-70mm	Length 2m, pack = 10 lengths = 20m	970806
80-90mm	Length 2m, pack = 10 lengths = 20m	970808
100-110mm	Length 2m, pack = 10 lengths = 20m	970810
120-130mm	Length 2m, pack = 10 lengths = 20m	970812
140-150mm	Length 2m, pack = 10 lengths = 20m	970814
160-170mm	Length 2m, pack = 10 lengths = 20m	970816



Baunit Aluminium Base Profile

Aluminium base profile in U-shape with drip nose and upstand.

Aluminium Base Profile Therm		
Insulation thickness	Packaging	Product Code
20mm	Length 2.5m, pack qty = 10 lengths	970869
30mm	Length 2.5m, pack qty = 10 lengths	970873
40mm	Length 2.5m, pack qty = 10 lengths	970874



Baunit 6mm PVC Profile Clip

PVC profile clip for Aluminium base profile.

PVC Profile Clip 6mm		Product Code
Size:	Length 2.5m	970900
Packaging:	Length 2m, 1 pack = 15 lengths = 30m	




Baunit Base Profile Therm Extension (40mm)

Plastic self adhesive strip to extend the depth of the BaseProfile Therm for insulation thicknesses up to 200mm

Base Profile Therm extension 40mm		Product Code
Size:	Length 2m	970804
Packaging:	Length 2m, 1 pack = 10 lengths = 20m	

BAUMIT PROFILES



Baunit Cement Board Edge Bead

PVC edge profile with an alkali-resistant 100mm glass fibre mesh for the use at the base of cement render carrier boards when rendering directly to the board'

Cement Board Edge Bead		Product Code
Plaster thickness:	6mm	971562
Packaging:	Length 2.5m, 1 pack = 25 pcs. = 62.5m	


BAUMIT JOINT PROFILES



Baunit Return Drip Bead

Plastic drip bead with reinforcement mesh. For use only with EWI systems as a window and door head drip detail.


Drip Bead		Product Code
Size:	125 x 125mm x 2.5m	971416
Packaging:	Length 2.5m, 1 pack = 10 lengths = 25m	



Baunit Expansion Joint E-Profile

Expansion joint profile with alkali-resistant fibreglass reinforcement and render stop beads. For sealing and incorporating existing structural movement joints into an external wall insulation system. The E-Form profile is for joints which are in the plane of a wall. Maximum joint width of 10mm, e.g. between two components such as extensions, garages etc.


Expansion Joint E-Profile		Product Code
Size:	125 x 125mm	971417
Packaging:	Length 2.5m, 1 pack = 10 lengths = 25m	



Baunit Expansion Joint V-Profile

Expansion joint profile with alkali-resistant fibreglass reinforcement and render stop beads. For sealing and incorporating existing structural movement joints into an external wall insulation system. For corner joints. Maximum joint width of 10mm, e.g. between two components such as extensions, garages etc.

Expansion Joint V-Profile		Product Code
Size:	125 x 125mm	971418
Packaging:	Length 2.5m, 1 pack = 10 lengths = 25m	




Baunit Movement Joint

Plastic profile with alkali-resistant fibreglass reinforcement to form vertical movement joints. Available in 3mm or 6mm.

Movement Joint 3mm		Product Code
Size:	125 x 125mm x 2.5m	971427
Packaging:	Length 2.5m, 1 pack = 25 lengths = 62.5m	

Movement Joint 6mm		Product Code
Size:	125 x 125mm x 2.5m	971428
Packaging:	Length 2.5m, 1 pack = 25 lengths = 62.5m	



Baunit Flashing Bead

PVC profile with alkali-resistant fibreglass reinforcement for attachment to sheet metal connections (e.g. at fascia) to produce a flexible, driven rain-proof connection between the render system and sheet metal.

Flashing Bead		Product Code
Size:	Width: 125mm, Length: 2m	971422
Packaging:	1 pack = 25 lengths = 50m	

BAUMIT DIAGONAL ARROW MESH




Baunit Diagonal Arrow Mesh

Alkali-resistant glass fibre mesh fabric for precise formation of a diagonal reinforcement in the corner of façade openings.

Diagonal Arrow Mesh		Product Code
Size:	400 x 330mm	971421
Packaging:	1 pack = 100 pcs.	


BAUMIT WINDOW PROFILES



Baunit Window Profile Ideal

Self adhesive rigid, white PVC window seal bead with a sealing foam strip and reinforcement. Two interconnected sections to enable horizontal and vertical movement. For creating a flexible, driving rain resistant connection between external wall insulation systems and window/door frames.

Window Profile ideal		Product Code
Size:	Width: 125mm. Length 2.4m	971406
Packaging:	Length 2.4m, 1 pack = 25 lengths = 60m	




Baunit Window Profile Flexible

Self adhesive rigid, white PVC window seal bead with compressed polyurethane sealing tape and reinforcement, for the sealing and decoupling of connection joints at window and door frames. For use in low energy and passive constructions. Specially designed peel-off strips allow easy render application. Typically used in EWI systems of a thickness greater than 100mm.

Window Profile Flexible		Product Code
Size:	Width: 125mm. Length 2.4m	971407
Packaging:	Length 2.4m, 1 pack = 10 lengths = 24m	

BAUMIT PVC STOP BEADS




Baunit Stop Bead with Mesh

PVC stop bead with alkali-resistant fibre glass reinforcement, suitable as a render/plaster stop for finish coats. Also suitable for round arches.

Stop Bead with mesh (3mm)		Product Code
Size:	Width: 125mm. Length: 2.5m, pack = 10 lengths = 20m	971425
Depth:	3mm	
Packaging:	Length: 2.5m, 1 pack = 25 lengths = 62.5m	

Stop Bead with mesh (6mm)		Product Code
Size:	Width: 125mm. Length: 2.5m, pack = 10 lengths = 20m	971426
Depth:	6mm	
Packaging:	Length: 2.5m, 1 pack = 25 lengths = 62.5m	

BAUMIT CORNER BEADS




Baunit Corner Bead

PVC corner bead with mesh for protection of 90° angles on façades.

Corner Bead		Product Code
Size:	100 x 150mm; 1 length = 2.5m	971412
Packaging:	125m = 1 pack = 50 lengths	


VERGE TRIMS AND OVER SILLS



Over Sill Trim

White coated 1.2mm aluminium suitable for most conditions requiring weather protection of external wall insulation and rendering, with peel-off low tack film to protect the section during fixing on site. Powder coating available. Available in lengths of 2.5m. Available in Depths (Dim A): 30mm – 300mm. Allow for 40mm overhang.


Over Sill Trim		
Product	Depth (Dim A)	Product Code
Over Sill Trim	60mm	971531
Over Sill Trim	70mm	971532
Over Sill Trim	80mm	971533
Over Sill Trim	90mm	971534
Over Sill Trim	100mm	971535
Over Sill Trim	110mm	971536
Over Sill Trim	120mm	971537
Over Sill Trim	130mm	971538
Over Sill Trim	140mm	971539



Verge Trim

Suitable for most conditions requiring weather protection of external wall insulation and rendering. Aluminium white coated with peel-off low tack film to protect the section during fixing on site. Powder coating available. Available in lengths of 2.5m. Available in Depths (Dim A): 50mm – 300mm. Allow for 40mm overhang.

Verge Trim		
Product	Depth (Dim A)	Product Code
Verge Trim	60mm	971453
Verge Trim	70mm	971510
Verge Trim	80mm	971456
Verge Trim	90mm	971497
Verge Trim	100mm	971480
Verge Trim	110mm	971513
Verge Trim	120mm	971516
Verge Trim	130mm	971519
Verge Trim	140mm	971471




Universal Full End Caps

Universal full end caps for use with verge trim and over sill trim.

Full End Caps		
Product	Depth (Dim A)	Product Code
Full End Caps	60mm	971455
Full End Caps	70mm	971512
Full End Caps	80mm	971458
Full End Caps	90mm	971499
Full End Caps	100mm	971481
Full End Caps	110mm	971515
Full End Caps	120mm	971518
Full End Caps	130mm	971521
Full End Caps	140mm	971473

VERGE TRIMS AND OVER SILLS



Universal Push Fit End Caps

Universal push fit end caps for use with verge trim and over sill trim.

Push Fit End Caps		
Product	Length	Product Code
Push Fit End Caps	50mm	971540
Push Fit End Caps	60mm	971541
Push Fit End Caps	70mm	971542
Push Fit End Caps	80mm	971543
Push Fit End Caps	90mm	971544
Push Fit End Caps	100mm	971545
Push Fit End Caps	110mm	971546
Push Fit End Caps	120mm	971547
Push Fit End Caps	130mm	971548
Push Fit End Caps	140mm	971549



Universal Connectors

Universal connectors for use with verge trim and over sill trim.

Connectors		
Product	Length	Product Code
Connector	50mm	971451
Connector	60mm	971454
Connector	70mm	971511
Connector	80mm	971457
Connector	90mm	971498
Connector	100mm	971482
Connector	110mm	971514
Connector	120mm	971517
Connector	130mm	971520
Connector	140mm	971472

ACCESSORIES



Baumit Spiral Anchor

For fixing light attachments into insulation (Approx. 3kg per fixing)

Spiral Anchor		Product Code
Packaging:	Bag of 10 fixings	070632



Baumit Joint Seal Band

Pre-compressed, self-adhesive, self-expanding joint sealing band of flexible polyurethane foam. Driving rain resistant and weather-proof. Colour: grey.

Joint Seal Band 5 - 11mm		Product Code
Size:	5 - 11mm joint width	971405
Yield:	4.2 running metres per roll	
Packaging:	7 rolls/pack	
Joint Seal Band 3 - 7mm		Product Code
Size:	3 - 7mm joint width	971404
Yield:	5.5 running metres per roll	
Packaging:	7 rolls/pack	

ACCESSORIES



Baumit Adjustment Packing Shims

Adjustment packing shims made from hard PVC. A range of differently sized and coloured shims to help level up rails and tracks for EWI systems to achieve agreed façade tolerances.

Adjustment packing shims			
Size	Colour	Packaging	Product Code
1mm	Light Yellow	1 box = 100 pieces	070624
2mm	Light Green	1 box = 100 pieces	070625
3mm	Green	1 box = 100 pieces	070626
5mm	Yellow	1 box = 100 pieces	070627
8mm	Orange	1 box = 100 pieces	070628
10mm	Light Blue	1 box = 100 pieces	070629
15mm	Black	1 box = 100 pieces	070630
30mm	Blue	1 box = 100 pieces	070631



Baumit Montage Set

Fastening material for base and connection profiles, consisting of: 10 base profile connectors made of hard PVC, 50 balance pieces 3mm and 75 nail plugs with galvanized screw 8 x 75mm. Content sufficient for fastening approx. 25m of base rail.

Montage Set		Product Code
Pack:	1 set	070637



Baumit Montage Z

Cylindrical fixing piece made from dense EPS. For fixing pipe clamps and clothes rails.

Montage Metre Z		Product Code
Size:	90mm diameter, length: 1m.	060901



Baumit Montage R

Rectangular fixing piece made from dense EPS. For fixing pipe clamps and clothes rails.

Montage Metre R		Product Code
Size:	160 x 100mm, length: 1m.	060902



Baumit Filling Foam B1

Fast reacting polyurethane foam B1 for filling gaps (2 - 5mm) between installed EPS façade insulation boards.

Filling Foam B1		Product Code
Size:	750ml	071401
Pack:	12 cans	

Foam Gun		Product Code
Foam gun for applying polyurethane foam.		071400

Foam Gun Cleaner		Product Code
For cleaning the foam gun and tools.		071403
Size:	Can 500ml	
Pack:	12 cans	



Mineral Renders

SURFACE PREPARATION



Baunit VS 60

Cement spray mortar for the preparation of substrates. Helps to regulate suction for mineralic substrates with strong or uneven suction and increase adhesion properties. Manual and machine application.

VS 60	35kg	Product Code
Grain size:	0 - 4mm	200101
Consumption:	approx. 5 – 6kg/m² 50-60% coverage approx. 10 - 11 kg/m² full coverage	
Yield:	approx. 5.8 – 7.0m²/bag	
Packaging:	35kg, pallet = 36 bags = 1260kg	

RENDER



Baunit MP 69

Lightweight lime-cement render complying with EN 998-1, with lightweight mineral aggregates. Suitable for all external and internal areas including bathrooms. Manual and machine application.

MP 69	30kg	Product Code
Grain size:	0 - 1.2mm	091130
Consumption:	approx. 1.0kg/m²/mm	
Yield:	approx. 2.0m²/bag/ 15mm coat thickness	
Packaging:	30kg, pallet = 30 bags = 1050kg	



Baunit KZP 65

General purpose lime-cement render for manual and machine application, complying with EN 998-1. Suitable for use on most types of masonry and rough cast concrete. **Part of the UniRend System.**

KZP 65	35kg	Product Code
Grain size:	0 - 1.2mm	091160
Consumption:	approx. 1.4kg/m²/mm thickness	
Yield:	1.6m²/bag/ 15mm thickness	
Packaging:	35kg, pallet = 36 bags = 1260kg	

MINERAL RENDERS



RENDER



Baunit DP 85

Factory prepared dry powder, thermally insulating render basecoat with fine organic grain. For use on the façade on all types of brick/blockwork. Manual and machine application.

DP 85	9kg	Product Code
Grain size:	0 - 2mm	080209
Consumption:	approx. 2.25 kg/m²/per 10mm	
Yield:	approx. 1 m² /bag/ 40mm coat thickness	
Packaging:	9kg, pallet=40 bags=360kg	



Baunit LS 62

Pure mineral cement lightweight render for outside and inside as well as damp rooms, especially for the plinth and wet areas with highly insulating masonry, suitable as a base and top coat. For all base-type substrates and as light plaster with increased strength indoors. Manual and machine application.

LS 62	35kg	Product Code
Grain size:	0 - 1.2mm	091900
Consumption:	approx. 1.2 kg / m² / mm	
Yield:	2 m² / bag / 15mm coat thickness	
Packaging:	35kg, pallet = 35 bags = 1225kg	

RENDER BEADS



Baunit PVC Stop Bead

PVC Render Stop Bead			
Size	Render Depth	Packaging	Product Code
10mm	10-12mm	Length 2.5m, pack qty = 25.	971489
15mm	15-17mm	Length 2.5m, pack qty = 25.	971559



Baunit PVC Corner Bead

PVC Render Stop Bead			
Size	Render Depth	Packaging	Product Code
10mm	10-12mm	Length 2.5m, pack qty = 25.	971488
15mm	15-17mm	Length 2.5m, pack qty = 25.	971558



Baunit PVC Bellcast Bead

PVC Bellcast Bead			
Size	Render Depth	Packaging	Product Code
10mm	6-12mm	Length 2.5m, pack qty = 25.	971490
15mm	10-17mm	Length 2.5m, pack qty = 25.	971560



Baunit PVC Movement Bead

PVC Movement Bead			
Size	Render Depth	Packaging	Product Code
10mm	10-12mm	Length 2.5m, pack qty = 25.	971491
15mm	15-17mm	Length 2.5m, pack qty = 25.	971561



Renovation Systems

MULTIPURPOSE RENDER



Baunit MultiContact MC 55 W

Natural-white, fibre-reinforced multi-purpose bonding mortar. Suitable as a remediating render over existing stable, mineral and synthetic resin-based plasters, renders and paintwork. Also suitable as a keying coat on concrete and insulating boards or as a finish render on concrete formwork and fair faced masonry.

MultiContact MC 55 W	25 kg	Product Code
Grain size:	1.2mm	100125
Consumption:	as adhesive: approx. 4.0 – 5.0kg/m² as basecoat: approx. 5.0 – 5.5kg/m²	
Yield:	as adhesive: Approx. 5.0 – 6.25m²/bag as basecoat: approx. 4.5 - 5.0kg/m²/bag	
Packaging:	25kg bag, 1 pallet = 42 bags= 1050kg	



Baunit MultiFine RK 70 N | Klima RK 70 N

Natural white lime render with highly hydraulic additives for better processing and adhesion. Suitable for internal and external use.

MultiFine RK 70 N	25 kg	Product Code
Grain size:	0 - 0.6mm	120870
Consumption:	approx. 2.8kg/m²/2mm	
Yield:	approx. 8.9m²/bag/2mm	
Packaging:	25kg bag, 1 pallet = 42 bags= 1050kg	

RENOVATION



SPECIALIST RENOVATION RENDERS



Baunit Sanova SP Grey | Sanova SP 64 P

Grey, hydrophobic renovation render with active production of breathable pores. For renovation of damp and high salt content block/brickwork. For internal and external use. Suitable for machine application.

Sanova SP Grey	35 kg	Product Code
Grain size:	0 - 1.2mm	110413
Consumption:	approx. 1.1kg/m²/mm	
Yield:	approx. 2.1m²/bag/15mm	
Packaging:	35kg, 1 pallet = 36 bags = 1260kg	

SUBSTRATE PREPARATION



Baunit SanovaPre | Sanova SV 61

Adhesion promoter for damp and salt containing block/brickwork. High resistance to sulphates. For internal and external use.

SanovaPre	35 kg	Product Code
Grain size:	4.0mm	111035
Consumption:	approx. 5 - 6kg/m²/50 - 60% coverage	
Yield:	approx. 5.8 - 7.0m²/bag/50 - 60% coverage	
Packaging:	35kg, 1 pallet = 36 bags = 1260kg	

For a natural
Interior Values
and healthy living



HEALTHY LIVING

PAGE 58

AIRLESS PLASTER

PAGE 61



Healthy Living

INTERIOR WET PLASTER



Baunit KlimaDekor

Ready-to-use top coat plaster. Natural white, lime-based, ecological thin coat plaster for internal use. Can be tinted.

- Vapour permeable
- Ready mixed
- Low emissions



KlimaDekor	25 kg	Product Code
Grain Size:	0.2 - 1.7mm	130101
Texture:	Stippled	
Consumption:	approx. 2.7 - 2.9kg/m²	
Yield:	approx. 9.0kg/m²/bucket	
Packaging:	25kg bucket, 1 pallet = 32 buckets = 800kg	



Baunit KlimaFinish

Ready to use, natural white lime skimming plaster for internal use. Use to achieve a high-quality, smooth finish on lime and cement-based plaster, concrete, aerated concrete and plasterboard. Highly vapour permeable to improve indoor climate. Ideal for hand or machine application.

- Ready mixed
- High-quality smooth surface
- Pollutant-free & mildew-inhibiting



KlimaFinish	25 kg	Product Code
Grain Size:	0 - 0.2mm	129001
Consumption:	approx. 1.5kg/m²/mm with 2mm thickness	
Yield:	approx. 13m²/bag for 2mm thickness	
Packaging:	20kg bucket, 1 pallet = 32 buckets = 640kg	

FINE PLASTER



Baunit Klima Glätt W | KlimaFino

Natural white, powdered lime plaster for internal use. Use to achieve a high-quality smooth surface on existing lime / cement-based plaster concrete, aerated concrete and plasterboard. Ideal for hand or machine application.

- Improves the indoor climate and highly permeable
- For a high quality, smooth finish
- Pollutant free & mould and mildew resistant

Klima Glätt W	20 kg	Product Code
Grain Size:	only stone powder	127020
Consumption:	approx. 1kg/m²/mm	
Yield:	approx. 20m²/bag/1mm	
Packaging:	20kg, pallet = 48 bags = 960kg	

LIME PLASTER



Baunit MultiFine RK 70 N | Klima RK 70 N

Natural white lime render with highly hydraulic additives for better processing and adhesion. Suitable for internal and external use.

MultiFine RK 70 N	25 kg	Product Code
Grain Size:	0 - 0.6mm	120870
Consumption:	approx. 2.8kg/m²/2mm	
Yield:	approx. 8.9m²/bag/2mm	
Packaging:	25kg, 1 pallet = 42 bags = 1050kg	



Baunit Klima RK 38

Cement-free, natural-white lime render for internal areas. Suitable as a basecoat and finish coat for fine textures.

Klima RK 38	35 kg	Product Code
Grain Size:	0 - 0.8mm	121238
Consumption:	approx. 1.3kg/m²/mm	
Yield:	approx. 2.7m²/bag/10mm	
Packaging:	35kg, pallet = 36 bags = 1260kg	



Baunit Klima RK 39

Cement-free, natural-white lime render for external and internal areas. Suitable as a basecoat and finish coat, specially for higher thicknesses.

Klima RK 39	35 kg	Product Code
Grain Size:	0 - 3.0mm	121039
Consumption:	approx. 1.3kg/m²/mm	
Yield:	approx. 1.7m²/bag/15mm	
Packaging:	35kg, pallet = 36 bags = 1260kg	

LIME PLASTER



Baumit Klima KP 36 W | KlimaWhite

A lightweight, vapour-permeable, white lime internal plaster that regulates indoor humidity. Suitable for use even in wet rooms. The natural micro-porous structure ensures rapid absorption and release of water vapour for an excellent indoor climate. Ideal for machine application.

Klima KP 36 W	35 kg	Product Code
Grain Size:	0 - 1.0mm	121636
Consumption:	approx. 1.3kg/m ² /mm	
Yield:	approx. 2.7m ² /bag/10mm	
Packaging:	35kg, pallet = 36 bags = 1260kg	

INTERIOR PAINT



Life

Baumit KlimaColor

Ready-to-use, silicate interior paint with high covering power and whiteness. Can be airless sprayed. No preservatives, solvents, amine-free and ammoniac-free. Very low in emissions and not harmful to the environment. Can be tinted to Baumit Life colours ending in 7-9.

- Preservative and solvent-free
- Highly vapour permeable
- Suitable for conservation projects

KlimaColor	14L	Product Code
Consumption:	approx. 0.25L/m ² (per coat)	130224
Yield:	approx. 56m ² /bucket	
Packaging:	14L, 1 pallet = 32 buckets = 448L	

PRIMER



Baumit EasyPrimer

Use on plastered surfaces before applying Baumit KlimaColor to seal the surface. Low odour, emission and solvent free (E.L.F.).

- Primer for Klima Color
- For absorbent and chalky surfaces

EasyPrimer	10L	Product Code
Consumption:	approx. 0.10L/m ² /mm	122610
Yield:	approx. 100m ² /10L bucket	
Packaging:	10L, 1 pallet = 60 buckets = 600L	



Baumit SperrGrund

Primer for plasterboard, old interior plasters, wood fibre boards and carrier boards. Provides a good barrier effect to prevent existing stains (e.g. water or nicotine stains) bleeding through the plaster. Odourless, solvent free, pigmented white.

SperrGrund	14L	Product Code
Consumption:	approx. 0.4L/m ² (for 2 coats)	111512
Yield:	approx. 33m ² /bucket	
Packaging:	14L, 1 pallet = 32 buckets = 448L	



Airless Plaster

AIRLESS PLASTER



Baumit SX Airless

White, ready-to-use dispersion-based sprayable plaster. High filling performance for large-scale, mechanical application, e.g. with airless spray machines.

- Suitable for interior walls and ceilings
- Ideal for a smooth finish
- Free from solvents

SX Airless	25 kg	Product Code
Consumption:	dependant on surface flatness and substrate approx 1.7kg/m ² /mm for first coat approx 1.6 - 2.3kg/m ² /mm for second coat	141030
Yield:	approx. 15m ² /bag/1mm	
Packaging:	25kg, 1 pallet = 40 bags = 1000kg	

Features






- SX Airless is ready to use; no mixing required on site and no risk of overmixing affecting finished product performance for interior walls and ceilings.
- Supplied in a consistent, mixed finish generating zero airborne dust.
- Machine applicable; speed of application is far quicker than hand applied traditional plasters.
- Low mess application means minimal wastage.
- Natural white colour negates the need for a mist coat prior to painting, requiring no water within the entire application process.
- Can be applied at a maximum 4mm thickness in a single pass.. quicker application time compared to traditional plasters.
- Quick drying, can be sanded and finished in under 48 hours compared to a minimum 4-5 days drying for traditional plaster finish.





COMPANY NOTES	PAGE 64
GENERAL TERMS & CONDITIONS	PAGE 66
INDEX	PAGE 68

COMPANY NOTES

	Our General Terms and Conditions of Sale and Delivery shall apply exclusively.
Material consumption information	All material consumption figures are for guidance only. The actual rate depends on the type and nature of the substrate and the application technique.
Application procedures	Application procedures shall be in accordance with the applicable regulations and the respective Baumit product data sheets, which can be found on our website.
ISO Certified	Baumit Beteiligungen GmbH is ISO 9001 certified. Baumit UK Ltd is ISO 9001, 14001 & 45001 certified.
CE Marking	As a matter of course, Baumit products meet all necessary national and EU-wide requirements, including CE marking. <div></div>
Material returns and restocking fees	All goods ordered and correctly delivered will be charged and are only returnable by agreement. Products may be returned if they are unopened, in a suitable condition and returned within 8 weeks from delivery date. Tinted product and non-stock items are non-returnable under any circumstances. 20% restocking fee will apply.
Pallets	Pallets, pallet wrapping/foils and airbags will be supplied as required and will be charged at the rates agreed.
Colour Shades	Baumit Life is the basis of all coloured façade renders and paints. Detailed information is shown on the respective product pages. Other colours are available on request. The colour fan is not a 100% representation of what will be applied to the wall, samples can be provided on request. The appearance of colours can be effected by grain size, texture, application technique and size of area of application. No liability is accepted for such variations. We recommend a physical colour sample be requested before ordering coloured product. No liability is accepted for colour variations and the customer should satisfy themselves that the colour is in line with their expectations before placing the order. The sands used in the Baumit facade renders are natural products. On occasion some of the sand grains may appear slightly darker. This does not in any way constitute a problem with quality of the product, but may represent a faint optical detracton, due to thenatural properties of the raw materials.
Ex-Stock colours	White (0019) – NB. Due to the use of natural ingredients, there may be slight colour variations.
Pre-order colours	All colours except white (0019).
Cancellation fees	For cancellation of orders, and when the ordered goods are not picked up within 21 days, a cancellation fee will be charged.
Lead times	Goods for collection can be collected no sooner than 2 hours after the order confirmation is received. Orders made after 12pm will be despatched the following working day.
Re-ordering	When re-ordering, note that slight colour variations are possible. Colour uniformity is assured only within a single batch.
Material consumption	The consumption values indicated in this Catalogue are intended for guidance only. An allowance for over-usage of about 10 % may be taken for estimating purposes. The consumption data is dependent on the roughness and porosity of the substrate and the application technique employed.
Colour surcharges	Baumit Life colour system: No surcharge Other colours: Surcharges fees on request
Mould and algae	Baumit SilikonTop, SilikatTop, GranoporTop, PuraTop and CreativTop are formulated with basic biocide additives to protect against algae and fungal attack. Thus mould and algae repellency is achieved. For projects with critical environmental conditions (such as above-average exposure to moisture, rainfall, proximity to water, natural habitats, forest locations, in a house near shrubs and trees and vegetation, etc.) and for the renovation of algae and/or fungus-infested façades we recommend additional rates. Surcharge fees for additional biocide are available on request. When ordering please specify with addition algae & fungus protection. Please note that a permanent protection against algae and/or fungus can not be guaranteed. Will be one pallet per product, with the exception of bucket products.

COMPANY NOTES

Minimum order quantities	As laid out in the customer price list.
Colour samples	Please refer to the samples details in the Overview section.
Minimum thickness for EWI	Please consult applicable national approval certificates for details of the minimum permitted thickness of decorative finishes for use in external wall insulation systems. Unless otherwise specified, the minimum thickness is 1.5mm (scraped texture). If the maximum aggregate size of the finish coat is less than 1.5mm then a multilayer application is required to achieve the required minimum thickness.
Deliveries	Delivery contact details must be provided at the point of order. Deliveries are made via the pallet network and third party couriers and transit times are not guaranteed. Some goods from the same order may be delivered by different delivery methods. It is the customers responsibility to inspect the goods at the time of receipt and report any issues within one working day. Failed deliveries are chargeable and will incur a redelivery charge.
Baumit Warranty App	All customers who complete the Baumit Approved training course run via the Academy will gain access to the Baumit Warranty app. Our app provides you with a warranty checklist which allows you to automatically produce your own warranties simply and easily. Contact us for more information: training@baumit.co.uk



TERMS & CONDITIONS

The Customer's attention is particularly drawn to the provisions of clause 12.

1 Interpretation

- 1.1 Definitions.
Baumit means Baumit UK Limited (company number 7966190)
Business Day means a day (other than a Saturday, Sunday or a public holiday) when banks in London are open for business.
Conditions means these terms and conditions as amended from time to time.
Contract means each contract between Baumit and the Customer for the supply of Goods and/or Services in accordance with these Conditions.
Customer means the party purchasing the Goods and/or receiving the Services from Baumit.
Force Majeure Event has the meaning given to it in clause 15.1(a).
Goods means the goods (or any part of them) set out in the Order.
Order means the Customer's order for the supply of Goods and/or Services however given including without limitation on the Customer's purchase order form or through the Customer's acceptance of Baumit's quotation.
Services means any advice, information, guidance, training or other service supplied by Baumit (if any) to the Customer or any other services agreed between the parties and set out in the Specification.
Specification means any description of the Goods (and, if relevant, Services) provided in writing by Baumit to the Customer.
- 1.2 Construction.
(a) a reference to a party includes its successors or permitted assigns; (b) a reference to a statute or statutory provision is a reference to such statute or statutory provision as amended or re-enacted and includes any subordinate legislation made under that statute or statutory provision;
(c) any phrase introduced by the terms **including**, **include**, **in particular** or any similar expression shall be construed as illustrative and shall not limit the sense of the words preceding those terms.

2 Basis of contract

- 2.1 These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by trade, custom, practice or course of dealing.
- 2.2 The Order constitutes an offer by the Customer to purchase Goods and (where applicable) receive the Services in accordance with these Conditions.
- 2.3 The Order shall only be deemed to be accepted when Baumit issues written acceptance of the Order or, if no written acceptance is issued, when the Goods are delivered to the Customer at which point and on which date the Contract shall come into existence. Any such Contract shall be subject to clauses 2.7 and 9.4.
- 2.4 The Contract constitutes the entire agreement between the parties. The Customer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of Baumit which is not set out in the Contract.
- 2.5 Any samples, drawings, descriptive matter or advertising issued by Baumit and any illustrations or descriptions of any Services contained in Baumit's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Services and/or Goods described in them. They shall not form part of the Contract or have any contractual force.
- 2.6 Any quotation given by Baumit shall not constitute an offer, and is only valid for the period specified in the quotation.
- 2.7 Baumit shall be under no obligation to supply any Goods (even after acceptance of an Order) which are subsequently withdrawn from supply or altered by the manufacturer/distributor of those Goods. In such circumstances Baumit will give the Customer as much notice of such withdrawal as is reasonably possible in the circumstances of the non-availability or alteration of such Goods.

3 Use of Goods

- 3.1 Since the conditions of work on construction sites and the areas of application for Baumit's products can vary greatly, Baumit can only give general guide-lines as part of its processing instructions for the Goods. Should the Customer be planning to use the Goods in circumstances where special requirements may apply which will lie outside the normal ranges of application and working conditions covered by Baumit's

- processing instructions, then Baumit's advice on the particular case should be obtained before processing is commenced.
- 3.2 Statements on consumption and yield given in Baumit's processing instructions are mean, empirical values. Baumit shall have no liability if the consumption or yield on a particular structure or for a particular application is greater or less than the statement made in our processing instructions.
- 3.3 The advice, guidance and information provided by Baumit is issued only for the purposes of guidance. Baumit gives no warranty in respect of any advice, guidance or information given by Baumit and the Customer should make its own enquiries and reach its own conclusions as to the suitability and use of the Goods for any particular purpose. The provision of any such advice, guidance and information shall not in any way commit Baumit to supply the Goods.
- 3.4 Should the Customer desire specific detailed advice, then the provision of this will be agreed between Baumit and the Customer in a separate written agreement. Baumit shall only have liability for specific advice to the extent provided in these terms and conditions and in the written agreement with the Customer.

4 Delivery of Goods

- 4.1 Unless agreed otherwise delivery of Goods shall be Ex-Works. Baumit shall issue the Customer with a notice that the Goods are ready for collection and specifying where they can be collected from. Subject to clauses 4.2 and 4.6 (a) delivery shall take place when the Customer (or any third party engaged by the Customer) collects the Goods from the venue specified in the notice.
- 4.2 If Baumit agrees to arrange for delivery to the Customer this will be on the basis that delivery will be CFR (Incoterms 2010) in which case delivery shall take place when the Goods pass the ships rail at the port of shipment.
- 4.3 Baumit shall ensure that each delivery of the Goods is accompanied by a delivery note which shows the date of the Order, all relevant Customer and Supplier reference numbers, the type and quantity of the Goods (including the code number of the Goods, where applicable), special storage instructions (if any) and, if the Order is being delivered by instalments, the outstanding balance of Goods remaining to be delivered.
- 4.4 Any dates quoted for delivery of the Goods are approximate only, and the time of delivery is not of the essence.
- 4.5 Baumit shall not be liable for any delay in delivery of the Goods that is caused by a Force Majeure Event or the Customer's failure to provide Baumit with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.
- 4.6 If the Customer fails to collect the Goods within 10 Business Days of the date of the notice that the Goods are ready for collection (in accordance with clause 4.1) then: (a) delivery of the Goods shall be deemed to have been completed at 9.00 am on the tenth Business Day following the day on which Baumit notified the Customer that the Goods were ready; and (b) Baumit shall store the Goods until delivery takes place, and charge the Customer for all related costs and expenses (including insurance). Baumit may deliver the Goods by instalments, which shall be invoiced and paid for separately. Each instalment shall constitute a separate contract. Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment.

5 Quality of Goods

- 5.1 Baumit warrants that on delivery the Goods shall: (a) conform in all material respects with their description and, if applicable, the Specification; (b) be free from material defects in design, material and workmanship; and (c) be of satisfactory quality (within the meaning of the Sale of Goods Act 1979);
- 5.2 The Customer shall examine the Goods on Delivery and shall give notice in writing to Baumit within 7 days of delivery of any defect (insofar as the same could be detected on proper investigation) which means that some or all of the Goods do not comply with the warranty set out in clause 5.1. If the defect could not be detected on proper investigation the Customer shall give written notice to Baumit of such defect within 14 days of discovery. If the Customer fails to give notice of any defect within the requisite period it shall be deemed to have waived its rights in respect of that defect.
- 5.3 Following any notice given by the Customer in accordance with clause 5.2 then provided that the Customer shall: (a) give Baumit a reasonable opportunity to examine such Goods; and/or (b) (if asked to do so by

- Baumit) return to Baumit samples of such Goods and details of the batch number of those Goods, then Baumit shall, at its option, repair or replace the defective Goods, or refund the price of the defective Goods in full.

- 5.4 Baumit shall not be liable for the Goods' failure to comply with the warranty in clause 5.1 if:
(a) the Customer fails to comply with clause 5.3(a) or 5.3 (b);
(b) the Customer makes any further use of such Goods after giving a notice in accordance with clause 5.2;
(c) the defect arises because of a failure by the Customer or any end user to follow Baumit's written processing instructions as to the storage, installation, commissioning, use or maintenance of the Goods or (if there are none) good trade practice;
(d) the defect arises as a result of Baumit following any information, drawing, design or specification supplied by the Customer;
(e) the Customer alters or repairs such Goods without the written consent of Baumit;
(f) the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal working conditions;
(g) the defect arises from defective processing or the use of unsuitable additives or the mixing or any other combination of the Goods with those of any third party manufacturer (save for any third party product which Baumit has explicitly approved in writing)
(h) the Goods differ from their description as a result of changes made to ensure they comply with applicable statutory or regulatory standards.

- 5.5 Except as provided in this clause 5, Baumit shall have no liability to the Customer in respect of the Goods' failure to comply with the warranty set out in clause 5.1.

- 5.6 The terms of these Conditions shall apply to any repaired or replacement Goods supplied by Baumit under clause 5.2.

6 Title and risk

- 6.1 The risk in the Goods shall pass to the Customer on the date of delivery.
- 6.2 Title to the Goods shall not pass to the Customer until Baumit has received payment in full (in cash or cleared funds) for: (a) the Goods; and (b) any other goods that Baumit has supplied to the Customer.
- 6.3 Until title to the Goods has passed to the Customer, the Customer shall:
(a) hold the Goods on a fiduciary basis as Baumit's bailee; (b) store the Goods separately from all other goods held by the Customer so that they remain readily identifiable as Baumit's property; (c) not remove, deface or obscure any identifying mark or packaging on or relating to the Goods; (d) maintain the Goods in satisfactory condition and keep them insured against all risks for their full price on Baumit's behalf from the date of delivery; (e) notify Baumit immediately if it becomes subject to any of the events listed in clause 13.1(b) to clause 13.1(i); and (f) give Baumit such information relating to the Goods as Baumit may require from time to time, but the Customer may resell or use the Goods in the ordinary course of its business.

- 6.4 If before title to the Goods passes to the Customer the Customer becomes subject to and of the events listed in clause 13.1(b) to clause 13.1(i), or Baumit reasonably believes that any such event is about to happen and notifies the Customer accordingly, then, provided the Goods have not been resold, or irrevocably incorporated into another product, and without limiting any other right or remedy Baumit may have, Baumit may at any time require the Customer to deliver up the Goods and, if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Goods are stored in order to recover them.

7 Services

- 7.1 Baumit may provide the Services to the Customer consisting of the provision of information, guidance and training in respect of the Goods or any other service specifically agreed between the parties.
- 7.2 Baumit shall have the right to make any changes to the Services which are necessary to comply with any applicable law or safety requirement.
- 7.3 Unless explicitly agreed otherwise in writing by Baumit the Services provided by Baumit are for advice, guidance, information and training purposes only and the Customer should not rely on any such information provided by Baumit.
- 7.4 To the maximum extent permitted by law Baumit gives no warranty (whether express or implied) in respect of any advice, guidance, information and training or other Services given by Baumit to the Customer. The Customer acknowledges that it must make its own

- enquiries and rely on its own findings and conclusions as to the suitability, operation and use of the Goods or any other matter in relation to which Services are provided by Baumit.

- 7.5 Without prejudice to clause 7.3 and 7.4 Baumit shall have no liability to Baumit for any failure of the Services which results from reliance by Baumit on any information from the Customer or any other third party.

8 Customer's obligations

- 8.1 The Customer shall:
(a) ensure that the terms of the Order and (if submitted by the Customer) the Specification are complete and accurate;
(b) co-operate with Baumit in all matters relating to the Contract;
(c) provide Baumit with such information and materials as Baumit may reasonably require to supply the Goods, and ensure that such information is accurate in all material respects.
- 8.2 If Baumit's performance of any of its obligations under the Contract is prevented or delayed by any act or omission by the Customer or failure by the Customer to perform any relevant obligation (Customer Default):
(a) Baumit shall without limiting its other rights or remedies have the right to suspend performance of the Contract until the Customer remedies the Customer Default, and to rely on the Customer Default to relieve it from the performance of any of its obligations to the extent the Customer Default prevents or delays Baumit's performance of any of its obligations;
(b) Baumit shall not be liable for any costs or losses sustained or incurred by the Customer arising directly or indirectly from Baumit's failure or delay to perform any of its obligations as set out in this clause 8.2; and (c) the Customer shall reimburse Baumit on written demand for any costs or losses sustained or incurred by Baumit arising directly or indirectly from the Customer Default.

9 Charges and payment

- 9.1 The price for Goods shall be the price set out in the Customer price list. The price of the Goods is exclusive of all costs and charges of packaging, insurance, transport of the Goods which will be charged separately by Baumit.
- 9.2 Any charges for Services shall be agreed on a case by case basis between the parties.
- 9.3 Baumit reserves the right to amend the Customer price list at any time to reflect any increase in the cost of the Goods to Baumit that is due to any factor beyond the control of Baumit (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing or transport costs).
- 9.4 Baumit reserves the right to amend the price of an accepted Order at any time to reflect any increase in the cost that is due to: (i) any request by the Customer to change the delivery date(s), quantities or types of Goods (or any Services) ordered, or the Specification for the same; or (ii) any delay caused by any instructions of the Customer in respect of the Goods or failure of the Customer to give Baumit adequate or accurate information or instructions in respect of the Goods.
- 9.5 Baumit shall invoice the Customer on or at any time after the date of delivery of the Goods.
- 9.6 The Customer shall pay each invoice submitted by Baumit:
(a) within 30 days of the date of the invoice; and
(b) in full and in cleared funds to a bank account nominated in writing by Baumit, and time for payment shall be of the essence of the Contract.
- 9.7 All amounts payable by the Customer under the Contract are exclusive of amounts in respect of value added tax chargeable from time to time (VAT). Where any taxable supply for VAT purposes is made under the Contract by Baumit to the Customer, the Customer shall, on receipt of a valid VAT invoice from Baumit, pay to Baumit such additional amounts in respect of VAT as are chargeable on the supply of the Goods (or Services) at the same time as payment is due for the supply of the Goods (or Services).
- 9.8 Without limiting any other right or remedy of Baumit, if the Customer fails to make any payment due to Baumit under the Contract by the due date for payment (Due Date), Baumit shall have the right to charge interest on the overdue amount at the rate of 4 per cent per annum above the then current HSBC Bank plc base rate accruing on a daily basis from the Due Date until the date of actual payment of the overdue amount, whether before or after judgment, and compounding quarterly.
- 9.9 The Customer shall pay all amounts due under the Contract in full without any deduction or withholding except as required by law and the Customer shall not be entitled to assert any credit, set-off or counterclaim against Baumit in order to justify withholding payment of any such amount in whole or in part. Baumit may, without limiting its other rights or remedies, set off any amount owing to it by the Customer against any amount payable by Baumit to the Customer.
- 9.10 Baumit may in its absolute discretion at any time either before or after acceptance of an Order from the Customer require payment to be made in advance of delivery of any Goods or Service or alternatively Baumit may require the Customer to provide such security for payment as Baumit shall in its discretion demand. Failure to make payment in advance or provide security after demand shall be a material breach of the Contract which shall permit Baumit to terminate the Contract in accordance with clause 13.1(a).

10 Intellectual property rights

- 10.1 All intellectual property rights (including patents, copyrights and related rights, trade marks, trade, business and domain names, rights in goodwill, registered and unregistered design rights, rights in confidential information (including know-how and trade secrets) and any other intellectual property rights) in or arising out of or in connection with the Goods and Services (including, without limitation, all drawings and designs supplied by Baumit) shall be owned by and remain the property of Baumit.

11 Confidentiality

- A party (Receiving Party) shall keep in strict confidence all technical or commercial knowhow, specifications, inventions, processes or initiatives which are of a confidential nature and have been disclosed to the Receiving Party by the other party (Disclosing Party), its employees, agents or subcontractors, and any other confidential information concerning the Disclosing Party's business or its products or its services which the Receiving Party may obtain. The Receiving Party shall restrict disclosure of such confidential information to such of its employees, agents or subcontractors as need to know it for the purpose of discharging the Receiving Party's obligations under the Contract, and shall ensure that such employees, agents or subcontractors are subject to obligations of confidentiality corresponding to those which bind the Receiving Party. This clause 11 shall survive termination of the Contract.

12 Limitation of liability:

- THE CUSTOMER'S ATTENTION IS PARTICULARLY DRAWN TO THIS CLAUSE

- 12.1 Nothing in these Conditions shall limit or exclude Baumit's liability for:
(a) death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors; (b) fraud or fraudulent misrepresentation; (c) breach of the terms implied by section 2 of the Supply of Goods and Services Act 1982 (title and quiet possession); (d) breach of the terms implied by section 12 of the Sale of Goods Act 1979 (title and quiet possession); or (e) defective products under the Consumer Protection Act 1987.
- 12.2 Subject to clause 12.1:
(a) Baumit shall under no circumstances whatever be liable to the Customer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, or any indirect or consequential loss arising under or in connection with any Contract; and (b) Baumit's total liability to the Customer in respect of all other losses arising under or in connection with any Contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed the amount paid by the Customer in respect of that Contract.
- 12.3 Except as set out in these Conditions, all warranties, conditions and other terms implied by statute or common law are, to the fullest extent permitted by law, excluded from each Contract.
- 12.4 This clause 12 shall survive termination of the Contract.

13 Termination

- 13.1 Without limiting its other rights or remedies, each party may terminate a Contract with immediate effect by giving written notice to the other party if:
(a) the other party commits a material breach of its obligations under the Contract and (if such breach is remediable) fails to remedy that breach within 14 days after receipt of notice in writing of the breach;
(b) the other party suspends, or threatens to suspend, payment of its debts or is unable to pay its debts as they fall due or admits inability to pay its debts or (being a company) is deemed unable to pay its debts within the meaning of section 123 of the Insolvency Act 1986 or (being an individual) is deemed either unable to pay its debts or as having no reasonable prospect of so doing, in either case, within the meaning of section 268 of the Insolvency Act 1986 or (being a partnership) has any partner to whom any of the foregoing apply;
(c) the other party commences negotiations with all or any class of its creditors with a view to rescheduling any of its debts, or makes a proposal for or enters into any compromise or arrangement with its creditors other than (where a company) for the sole purpose of a scheme for a solvent amalgamation of that other party with one or more other companies or the solvent reconstruction of that other party;
(d) a petition is filed, a notice is given, a resolution is passed, or an order is made, for or in connection with the winding up of the other party (being a company) other than for the sole purpose of a scheme for a solvent amalgamation of the other party with one or more other companies or the solvent reconstruction of that other party;
(e) the other party (being an individual) is the subject of a bankruptcy petition or order;
(f) a creditor or encumbrancer of the other party attaches or takes possession of, or a distress, execution, sequestration or other such process is levied or enforced on or sued against, the whole or any part of its assets and such attachment or process is not discharged within 14 days;
(g) an application is made to court, or an order is made, for the appointment of an administrator or if a notice of intention to appoint an administrator is given or if an administrator is appointed over the other party (being a company);
(h) a floating charge holder over the assets of the other party (being a company) has become entitled to appoint or has appointed an administrative receiver;
(i) a person becomes entitled to appoint a receiver over the assets of the other party or a receiver is appointed over the assets of the other party;
(j) any event occurs, or proceeding is taken, with respect to the other party in any jurisdiction to which it is subject that has an effect equivalent or similar to any of the events mentioned in clause 13.1(b) to clause 13.1(i) (inclusive);
(k) the other party suspends, threatens to suspend, ceases or threatens to cease to carry on, all or substantially the whole of its business; or
(l) the other party (being an individual) dies or, by reason of illness or incapacity (whether mental or physical), is incapable of managing his own affairs or becomes a patient under any mental health legislation.

- 13.2 Without limiting its other rights or remedies, Baumit shall have the right to suspend the supply of Services or all further deliveries of Goods under the Contract or any other contract between the Customer and Baumit if: (a) the Customer fails to make pay any amount due under the Contract on the due date for payment; or (b) the Customer becomes subject to any of the events listed in clause 13.1(b) to clause 13.1(i), or Baumit reasonably believes that the Customer is about to become subject to any of them.

14 Consequences of termination

- On termination of the Contract for any reason:
(a) the Customer shall immediately pay to Baumit all of Baumit's outstanding unpaid invoices and interest and, in respect of Goods supplied but for which no invoice has yet been submitted, Baumit shall submit an invoice, which shall be payable by the Customer immediately on receipt;
(b) the Customer shall return all materials which have not been fully paid for. If the Customer fails to do so, then Baumit may enter the Customer's premises and take possession of them. Until they have been returned, the Customer shall be solely responsible for their safe keeping and will not use them for any purpose not connected with the Contract;
(c) the accrued rights and remedies of the parties as at termination shall not be affected, including the right to claim damages in respect of any breach of the Contract which existed at or before the date of termination or expiry; and
(d) clauses which expressly or by implication have effect after termination shall continue in full force and effect.

15 General

- 15.1 Force majeure:
(a) For the purposes of the Contract, Force Majeure Event means an event beyond the reasonable control of Baumit including but not limited to strikes, lock-outs or other industrial disputes (whether involving the workforce of the party or any other party), failure of a utility service or transport network, act of God, war, riot, civil commotion, malicious damage, compliance with any law or governmental order, rule, regulation or direction, accident, breakdown of plant or machinery, fire, flood, storm or default of suppliers or subcontractors.
(b) Baumit shall not be liable to the Customer as a result of any delay or

- failure to perform its obligations under the Contract as a result of a Force Majeure Event.

- (c) If the Force Majeure Event prevents Baumit from providing any of the Services and/or Goods for more than 30 days, Baumit shall, without limiting its other rights or remedies, have the right to terminate the Contract immediately by giving written notice to the Customer.

15.2 Assignment and subcontracting:

- (a) Baumit may at any time assign, transfer, charge, subcontract or deal in any other manner with all or any of its rights under the Contract and may subcontract or delegate in any manner any or all of its obligations under the Contract to any third party.
(b) The Customer shall not, without the prior written consent of Baumit, assign, transfer, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract.

15.3 Notices:

- (a) Any notice or other communication required to be given to a party under or in connection with the Contract shall be in writing and shall be delivered to the other party personally or sent by prepaid first-class post, recorded delivery or by commercial courier, at its registered office (if a company) or (in any other case) its principal place of business, or sent by fax to the other party's main fax number. (b) Any notice or other communication shall be deemed to have been duly received if delivered personally, when left at such address or, if sent by prepaid first-class post or recorded delivery, at 9.00 am on the second Business Day after posting, or if delivered by commercial courier, on the date and at the time that the courier's delivery receipt is signed, or if sent by fax, on the next Business Day after transmission. (c) This clause 15.3 shall not apply to the service of any proceedings or other documents in any legal action. For the purposes of this clause, „writing“ shall not include e-mails and for the avoidance of doubt notice given under the Contract shall not be validly served if sent by e-mail.

15.4 Waiver and cumulative remedies:

- (a) A waiver of any right under the Contract is only effective if it is in writing and shall not be deemed to be a waiver of any subsequent breach or default. No failure or delay by a party in exercising any right or remedy under the Contract or by law shall constitute a waiver of that or any other right or remedy, nor preclude or restrict its further exercise.
(b) Unless specifically provided otherwise, rights arising under the Contract are cumulative and to not exclude rights provided by law.

15.5 Severance:

- (a) If a court or any other competent authority finds that any provision of the Contract (or part of any provision) is invalid, illegal or unenforceable, that provision or part-provision shall, to the extent required, be deemed deleted, and the validity and enforceability of the other provisions of the Contract shall not be affected.
(b) If any invalid, unenforceable or illegal provision of the Contract would be valid, enforceable and legal if some part of it were deleted, the provision shall apply with the minimum modification necessary to make it legal, valid and enforceable.
- 15.6 No partnership: Nothing in the Contract is intended to, or shall be deemed to, constitute a partnership or joint venture of any kind between any of the parties, nor constitute any party the agent of another party for any purpose. No party shall have authority to act as agent for, or to bind, the other party in any way.
- 15.7 Third parties: A person who is not a party to the Contract shall not have any rights under or in connection with it.
- 15.8 Variation: Except as set out in these Conditions, any variation, including the introduction of any additional terms and conditions, to the Contract shall only be binding when agreed in writing and signed by Baumit.
- 15.9 Governing law and jurisdiction: The Contract, and any dispute or claim arising out of or in connection with it or its subject matter or formation (including non-contractual disputes or claims), shall be governed by, and construed in accordance with, English law, and the parties irrevocably submit to the exclusive jurisdiction of the courts of England and Wales.

Revision February 2024.

A		E		K	
Academy	9	EasyPrimer	60	Klima Glätt W	59
Adjustment packing shims	51	Expansion Joint E-Profile	47	Klima KP 36 W	60
		Expansion Joint V-Profile	47	Klima RK 38	59
				Klima RK 39	59
				Klima RK 70 N	See Multifine RK 70 N
				KlimaColor	60
				KlimaDekor	58
				KlimaFinish	58
				KZP 65	52
B		F		L	
Backing Board Fixing	45	Filling Foam	51	Lasur	24
Base Profile (Aluminium)	46	Finish	25	Life Colours	16
Base Profile Therm	46	Fire Pins	44	LS62	53
Base Profile Therm Extension	46	Flashing Bead	47		
BituFix 2K	37	FungoFluid	34		
C		G		M	
Cement Board Edge Bead	47	Glitter	25	Mesh	See StarTex
Corner Bead	48	GranoporColor	23	Metallic	25
Colour Chart	14	GranoporTop	28	Mineral Wool EWI Slab	39
CreativTop	29			Montage	51
				MosaikTop	30
				Movement Joint	47
				MP69	52
				MultiContact MC55W	37
				MultiFine RK 70 N	54
				MultiPrimer	33
D		H			
Diagonal Arrow Mesh	48	H3 Hammer Fixing	43		
DIPK	44				
DP85	53				
Drip Bead	47				
DS 26 Flex	37				
Dual Density Slab	39	J			
		Joint Seal Band	50		

Window Profile Flexible	48
Window Profile Ideal	48

Mesh	See StarTex
Metallic	25
Mineral Wool EWI Slab	39
Montage	51
MosaikTop	30
Movement Joint	47
MP69	52
MultiContact MC55W	37
MultiFine RK 70 N	54
MultiPrimer	33



BAUMIT LEGEND



Baumit Headquarters



Baumit
Wet Production



Baumit
Dry Mortar Production



Baumit Export



LT - LITHUANIA
Baumit UAB
LT-14188 Lithuania
Ukmergės g. 364, Vilnius
Tel.: +370 5 264 07 78
info@baumit.lt
www.baumit.lt
In charge of: LV, EE



SI - SLOVENIA
Baumit d.o.o.
SLO - 1236 Trzin
Dobrave 12
Tel.: +386 1 236 37 55
Fax: +386 1 236 37 40
baumit@baumit.si
www.baumit.si



MK - NORTH MACEDONIA
Baumit Makedonija Doel
MK - 1000 Skopje
Ul. Jadranska Magistrala 165
Tel.: +389 2 306 98 07
Fax: +389 2 306 98 07
info@mk.baumit.com
www.baumit.com.mk



SK - SLOVAKIA
Baumit, spol. s r. o.
SK - 811 02 Bratislava
Žižkova 9
Tel.: +421 2 593 03 311
office@baumit.sk
www.baumit.sk



PL - POLAND
Baumit sp. z o.o.
PL - 53-012 Wrocław
ul. Wyścigowa 56 G
Tel.: +48 71 358 25 00
info@baumit.pl
www.baumit.pl



TR - TURKIYE
Baumit TR
Baumit İnşaat Malzemeleri San.
Tic.Ltd.Şti
Esensehir Mahallesi Hale
Sokak No. 10 B Blok
TR - 34776 Ümraniye/İstanbul
Tel.: +90 (0) 216/680 34 00
Fax: +90 (0) 216/680 34 01
info@baumit.com.tr
www.baumit.com.tr



RO - ROMANIA
Baumit Romania Com SRL
RO - 061129 Bucuresti
B-dul Iuliu Maniu nr. 600A, sector 6
Tel.: +40 21 350 01 06
Fax: +40 21 318 24 08
office@baumit.ro
www.baumit.ro



UA - UKRAINE
TOV Baumit Ukraine
UA - 03083 Kiev
vul. Pyrohivskyy Shlyah 34
Tel.: +380 44 568 52 54
Fax: +380 44 586 47 39
office@baumit.ua
www.baumit.ua



RS - SERBIA
Baumit d.o.o.
SRB - 11130 Beograd
Smederevski put 25k
Tel.: +381 11 347 50 82
Fax: +381 11 347 47 95
office@baumit.rs
www.baumit.rs
In charge of: AL, KO



UK - UNITED KINGDOM
Baumit Ltd.
Unit 2 Westmead
New Hythe Lane, Aylesford
Maidstone, Kent, ME20 6XJ - UK
Tel.: +44 (0) 1622 710 763
contact@baumit.co.uk
www.baumit.co.uk
In charge of: IE



RU - RUSSIA
000 „Baumit“
RUS - 141982
Moscow region, Dubna
www.baumit.ru
In charge of: BY



AT - AUSTRIA
Baumit GmbH
Wopfing 156
A - 2754 Waldegg
Tel.: +43 (0) 0501 888-0
Fax: +43 (0) 0501 888-1266
office@wopfing.baumit.com
www.baumit.at



BA - BOSNA I HERCEGOVINA
Baumit d.o.o.
BIH-71210 Ilidža
Osik 2 b
Tel.: +387 33 566 770
Fax: +387 33 566 771
info@baumit.ba
www.baumit.ba
In charge of: ME



CZ - CZECH REPUBLIC
Baumit, spol. sr.o.
CZ - 250 01 Brandýs nad Labem
Průmyslová 1841
Tel.: +420 326 900 400
info@baumit.cz
www.baumit.cz



ES - SPAIN
Baumit S.L.
ES - 28935 Móstoles (Madrid)
P.I. Las Nieves, c/ Puerto de Cotos, 16
Tel.: +34 916 407 227
Fax: +34 916 360 092
info@baumit.es
www.baumit.es
In charge of: PT



GR - GREECE
Baumit A.E.
GR - 15235 Vrilissia-Athens
142, Pentelis avenue
Tel.: +30 210 6095600
Fax: +30 210 6095611
info@baumit.gr
www.baumit.gr
In charge of: CY



HR - CROATIA
Baumit d.o.o.
HR - 10090 Zagreb
Vučak 34
Tel.: +385 1 346 68 00
Fax: +385 1 346 68 38
baumit@baumit.hr
www.baumit.hr



BG - BULGARIA
Baumit Bulgaria EOOD
BG - 21 00 Elin Pelin
Bulgaria Str. 38
Tel.: +359 2 926 69 11
Fax: +359 2 926 69 18
office@baumit.bg
www.baumit.bg



CH - SWITZERLAND
Baumit Schweiz AG
CH - 8303 Bassersdorf
Hardstrasse 20
Tel.: +41 52 354 50 70
Fax: +41 52 354 50 71
office@schweiz.baumit.com
www.baumit.com



DE - GERMANY
Baumit GmbH
D - 87541 Bad Hindelang/Allgäu
Reckenberg 12
Tel.: +49 83 24 921-0
Fax: +49 83 24 921-1279
info@baumit.de
www.baumit.de
In charge of: BE, NE, LU, DK, NO, FI, SE



FR - FRANCE
Baumit SAS
FR - 77360 Vaires-sur-Marne
1 Impasse de la Centrale
Tel.: +33 1 762 170 21
Fax: +33 1 762 170 10
office@baumit.fr
www.baumit.fr



HU - HUNGARY
Baumit Kft.
H - 2510 Dorog, Baumit út 1.
H - 2511 Dorog, Pf.: 132.
Tel.: +36 33 512 910
Fax: +36 33 431 512
baumit@baumit.hu
www.baumit.hu



IT - ITALY
Baumit Spa
I - 33078 San Vito al Tagliamento (PN)
Via Lusevera
z.i. Ponte Rosso I
Tel.: +39 0434 1850980
Fax: +39 0434 853 59
info@baumit.it
www.baumit.it

Baumit OpenSystem

Breathable External Wall Insulation



Baumit external wall insulation systems are made to help reduce energy bills, whilst at the same time protecting the basic structure of the building and its internal environment.

The Baumit OpenSystem comprises the usual EWI system components of adhesive and mechanical fixings, insulation, basecoat/reinforcement layer and finished with a topcoat. However, Baumit OpenSystem utilises insulation with unique OpenAir technology.

This technology ensures high water vapour permeability and enables water vapour to be released externally; essentially enabling the wall to breathe, ensuring a comfortable living environment. Breathable and durable, Baumit insulation is able to adapt seamlessly to its surroundings no matter if it is used in residential, commercial, or industrial environments.

